

think safe

BURGLAR AND FIRE RESISTANT SAFES

Dealer catalogue



CLASSIFICATION BY BURGLAR OR FIRE RESISTANCE



Chapter	burglar resistance	page
1. Burglar and fire resistant safe	EN 14450 S2	9 to 13
	EN 1143-1 grade 0	15
	EN 1143-1 grade I	13, 16 to 21
	EN 1143-1 grade II	22, 23
	EN 1143-1 grade III	24, 25
	EN 1143-1 grade IV	26, 27
	EN 1143-1 grade V	28, 29
2. Retail and asset management	EN 1143-1 grade I	40, 41
3. Key safes, cabinets, management	EN 1143-1 grade 0	51 to 53
4. Data safes	EN 1143-1 grade II	57



Chapter	fire resistance	page
1. Burglar and fire resistant safe	30 minutes	11, 12, 17, 22, 24
	60 minutes	8, 13, 18, 19, 20, 23
	120 minutes	21
2. Data safes	120 minutes	58, 59
6. Fire resistant document storage	60 minutes	64, 65
7. Fire resistant boxes	30 minutes	70
	60 minutes	70

CONTENTS

The right safe	4
1. Burglar and fire resistant safe	7
2. Retail and asset management	31
3. Key safes, cabinets and management	47
4. Data safes	55
5. Lockers and trolleys	59
6. Fire resistant document storage	63
7. Fire resistant boxes	69
8. Hotel safes	71
9. Gun safes	73
10. Floor safes	79
11. Miscellaneous storage devices	81
Overview of optional locks	87
Index	90
About us	91

Find the right safe quickly!

Certified burglar resistance is an important consideration when purchasing a safe. The safes in this catalogue are ranked by resistance to burglars from light to strong in accordance with certified standards. The safes are also ranked by their degree of resistance to fire in accordance with certified standards.

A number of safes have been designed for specific applications, for example, depositing cash and protecting data media. These safes have been accessibly grouped together in one chapter. Every chapter is arranged in the same way, from light to strong.

There is a handy safe chart on page **2** and an index on page **90** where you can look up the brand and model.

A limited number of uncertified safes are also included in our range. These safes are included in the rankings to give you an indication of their burglar resistance. For maximum peace of mind, however, we would always recommend a certified safe.

The product page is laid out so that you can easily see the most important characteristics of a safe:



SALVUS RAVENNA

GRADE I **LFS30P** **EGH**

optional locks:

- Protection from fire and/or burglars
- ECB-S certified burglar resistance in accordance with EN 1143-1 Grade I
- ECB-S certified fire resistance in accordance with EN 15659 LFS30P (30 minutes for paper)
- Standard finish with:
 - EN 1300 certified key lock with 2 keys or
 - EN 1300 certified electronic lock (incl. batteries)
- Shelf or shelves adjustable in height
- Door opening 180°
- Lock bolts on three sides
- Base anchoring (1x) (anchoring material supplied)
- Colour: anthracite (RAL 7024)

optional locks: see page 87

specifications


photo of model

ECB-S certified safe

ranking of the range

Ravenna 1

SALVUS **ECB-S**



THE RIGHT SAFE

Finding the right safe from all the different kinds on offer can be difficult. To help you make your choice, we have provided a short explanation below of the different types and we also explain what you need to pay attention to.

1. What has to be kept in the safe?

Data on, for example, a USB stick or a DVD is more easily damaged by fire than paper so it needs more protection. The amount of money or the total amount your valuables are worth is also important when choosing the right safe.

2. What sort of protection does the safe have to offer?

There are various safes available, safes which only protect against fire or which just protect against being broken into, but there are also safes which protect against both.

3. Where is the safe going to be?

If the safe is going to be placed above the ground floor, you might want one that is protected to a higher standard because it can fall through the floor if there is a fire. If you are looking for a safe that is burglar resistant, but it is going to be in a room that is already very secure, you might want to choose one which is constructed to a lower standard.

4. What kind of lock?

You have to think about the right kind of lock as well. There are various options to choose from and ease of use is a consideration as well.

The European Certification Body ECB-S

Once you know the answers to the questions above, you can start looking for the right safe. Be careful though, because, unfortunately, there are a lot of safes on the market which aren't certified. You can always count on safes which have been tested by the European Certification Body, ECB-S, for the best protection however. ECB-S is the leading European certification body for fire and burglar resistant safes so only entrust your valuables to a safe that has been tested by them. You can recognise these reliable safes by the blue ECB-S label. The label is on the inside of the safe door and provides more information about the date of construction, certificate number, weight, series number, resistance grade and the fire and burglar resistance standards to which the safe has been tested. You can also see from the ECB-S certificate that the safe has been produced under controlled conditions and has been independently tested. Furthermore, you will always benefit from an optimum price/quality ratio and the safe will always be accepted by insurers. We will, of course, be happy to advise you about the best solution for your needs.

EN labels (certified safes)

There is a label inside a certified safe so that you can assess its quality. You can also see that the safe has been produced under controlled conditions and has been independently tested.

See the ECB-S labels below with explanation about the information shown on the label.

BURGLAR PROOF



Cert. mark. no.


Number under which the certification body has accepted the design.

EN 14450 / EN 1143-1

The European standard with which the design complies.

Serial no.

Every safe has a unique serial number, given by the manufacturer.



Resistance grade

Resistance classification

Weight

The net weight of a safe. The actual weight can and may deviate by 15% of the reported weight.

Year of manufacture

The year in which the safe was produced.

FIRE RESISTANT



EN 1047-1 / EN 15659


The European standard with which the design complies.

Cert. mark. no.

Number under which the certification body has accepted the design.

Serial no.

Every safe has a unique serial number, given by the manufacturer.



Protection class

Resistance classification

Weight

The net weight of a safe. The actual weight can and may deviate by 15% of the reported weight.

Year of manufacture

The year in which the safe was produced.

BURGLAR RESISTANT SAFES

A burglar resistant safe

A burglar resistant safe is the last barrier between the burglar and your valuables and its primary function is to win time. The safes are specially designed to protect the contents from external attack and they can be classified by the degree of resistance they offer. The grade depends on various factors, like the thickness and sort of metal, the number of locks and delaying factors which have been included in the walls.

Cash and valuables ratings

The resistance grade can also be expressed as cash and valuables ratings. The term indicates how much cash or the value of valuables is covered by the insurance if they are stored in the safe. The higher the value given, the more burglar resistant the safe is.

If additional security measures have been taken, like an alarm, the insurer may increase the amount covered. We would therefore advise you to contact your insurance company to find out how much your valuables in your safe are insured for and if the cash and valuables ratings are higher or lower than had been set previously.

Standards and cover

Good burglar resistant safes and cabinets have been tested in accordance with certified European standards. The safe is attacked by experts in the tests who have the relevant skills and tools as set out in the standard.

- **EN 1143-1 (Grade 0 to Grade V)**
'Grade' is also sometimes called 'Class' or 'CEN'. The levels are indicated by zero or a Roman numeral (0 to V)
- **EN 1143-2 (Grade 0 to Grade V)**
Standard for deposit safes. The entire deposit safe (including the deposit facility) is tested for burglar resistance.
- **EN 14450 (S1 and S2)**
Burglar resistant safes to this standard are particularly suitable for daily deposits and domestic use.



Anchoring

Free-standing burglar resistant safes with a weight of less than 1,000 kg must be anchored to a wall or floor to comply with the European standard. Only then are your valuables really protected from theft. Solid anchoring is also required by the insurance.

FIRE RESISTANT SAFES

A fire resistant safe

You want to store important papers, data media and things with an emotional or high financial value securely and protect them from fire. A fire resistant safe is specially constructed to protect the contents from the effects of fire for a certain period of time. The construction of the walls of a safe are crucial. They not only have to withstand the heat during a fire, but they also have to be able to withstand liquids, moisture and soot.

Fire resistant safes are divided into paper (P) and data (DIS), because of the latter's vulnerability to damage. Digital data carriers are damaged even at a temperature 52°C.


Fire resistance standards

Various tests are carried out on fire resistant safes to test how resistant they are. Independent test institutes expose the products for 30 to 120 minutes to temperatures between 850-1100°C. A safe is dropped about 9.15 metres with the extra strict fire fall test (EN 1047-1 and UL 72) to show that the contents are still protected from the effects of fire if a fire resistant safe falls through a floor.

During the test and after a natural cooling off period (EN 1047-1 and UL 72) of approximately 12 hours, the temperature in the safe must not rise above 177°C (paper), 75°C (including USB sticks, DVD's and CD's) or 52°C (tapes and other magnetic data carriers).

Natural cooling off period

The safe will be extremely hot after the fire has been put out and it is allowed to cool down naturally. The contents can still be lost during the cooling down period in a safe that hasn't been tested for this. The fire resistant standards EN 1047-1 and UL 72 are the only standards which include this test which is why they guarantee the best protection, even after a fire.



STANDARD	TEST TEMPERATURE	FALL TEST	PAPER	DATA MEDIA	COOLING
EN 1047-1	1090°C	9,15 metres	S60P (60 min.) / S120P (120 min.)	S 60DIS (60 min.) / S 120DIS (120 min.)	incl. cooling off
UL 72	1000°C	9,15 metres	Class 350 (1/2, 1, 2 hours)	Class 125 (1/2, 1, 2 hours)	incl. cooling off
EN 15659	850°C	no	LFS30P (30 min.) / LFS60P (60 min.)	N.A.	not tested
NT Fire 017	927°C	no	60 paper (60 min.) / 120 paper (120 min.)	60 disk (60 min.) / 120 disk (120 min.)	not tested
DIN 4102/BS 476	not tested	not tested	not tested	not tested	not tested

The safe lock

A burglar resistant safe is only as good as the lock, which is why the choice of that lock deserves your careful consideration. A lock for a safe has to be tested in accordance with the EN 1300 standard in order to comply with certified European standards for safes.

In practice, however, you can be sure that an ECB-S certified safe complies with the requirements.



Many safes are supplied with a key lock as standard. A key lock is secure, cheap and, above all, reliable. On the other hand, having to look after that safe key is a big disadvantage. A burglar will go and look for the key which can be recognized easily by its shape. You can also lose a safe key and it can be copied. All these factors can undermine the security.

More and more people are opting for an electronic lock. Electronic locks are more expensive but offer more options than a key lock. They all have anti-tampering blocking, you can also opt for several access codes and the facility to download audit reports to see who has been using the lock and when. A time lock can also be fitted to prevent unauthorised access to the safe for periods through the day or night. Even staff with their own code would be unable to access the safe during these periods.

While a key is the weak point of a key lock, the access code is the weak point of an electronic lock. They can be forgotten and then you can't access the contents. However, you can often still open the safe with a master code or key and reset the lock.

For locks see page **87**



BURGLAR AND FIRE RESISTANT SAFES

1




Torino 2

Emergency locking upward of Torino 3

SALVUS TORINO



- Protection from fire and/or burglars
- ECB-S certified fire resistance in accordance with EN 15659 LFS60P (60 minutes for paper)
- Standard finish with electronic lock (incl. batteries)
- Locks automatically when you close the door (upward of Torino 3)
- Shelf or shelves adjustable in height
- Including lockable drawer (Torino 3 and upwards)
- Door opening 180°
- Lock bolts on three sides (except Torino 1 & 2)
- Base anchoring (1x) (anchoring material supplied)
- Colour: anthracite



Product no.	Model	External dimensions HxWxD	Internal dimensions HxWxD	Weight	Shelves	Drawers	Volume
130.200.0064	Salvus Torino 1	315x445x425 mm	207x341x296 mm	38 kg	0	1	21 litres
130.200.0065	Salvus Torino 2	510x445x425 mm	402x341x296 mm	54 kg	1	1	41 litres
130.200.0066	Salvus Torino 3	790x485x450 mm	607x346x301 mm	103 kg	1	1	63 litres
130.200.0069	Salvus Torino 4	970x565x450 mm	786x426x301 mm	138 kg	1	1	100 litres
130.200.0067	Salvus Torino 5	1255x711x580 mm	1034x546x418 mm	290 kg	2	1	236 litres
130.200.0068	Salvus Torino 6	1708x711x580 mm	1487x546x418 mm	390 kg	3	1	339 litres

External dimensions are excluding 20 mm for handle and hinges.




Monza 3 elo



SALVUS MONZA



- Protection from fire and/or burglars
- ECB-S certified burglar resistance in accordance with EN 14450 S2
- Cash and valuables rating:
€ 5.000 (cash) or € 9.000 (valuables)
- Flame retardant filling in accordance with DIN 4102 (not tested)
- Standard finish with:
EN 1300 certified key lock with 2 keys
EN 1300 certified electronic lock (incl. batteries)
- Shelf or shelves adjustable in height
- Door opening 90°
- Lock bolts on three sides
- Base anchoring (2x) and back anchoring (1x)
(anchoring material supplied)
- Colour: light grey (RAL 7035)



Product no.	Model	External dimensions HxWxD	Internal dimensions HxWxD	Weight	Shelves	Volume
110.400.0270	Salvus Monza 1	300x445x400 mm	220x365x296 mm	26 kg	1	24 litres
110.400.0271	Salvus Monza 1 elo	300x445x400 mm	220x365x296 mm	26 kg	1	24 litres
110.400.0272	Salvus Monza 2	450x445x400 mm	370x365x296 mm	35 kg	1	40 litres
110.400.0273	Salvus Monza 2 elo	450x445x400 mm	370x365x296 mm	35 kg	1	40 litres
110.400.0274	Salvus Monza 3	600x445x400 mm	520x365x296 mm	43 kg	1	56 litres
110.400.0275	Salvus Monza 3 elo	600x445x400 mm	520x365x296 mm	43 kg	1	56 litres
110.400.0276	Salvus Monza 4	800x445x400 mm	720x365x296 mm	55 kg	2	78 litres
110.400.0277	Salvus Monza 4 elo	800x445x400 mm	720x365x296 mm	55 kg	2	78 litres
110.400.0278	Salvus Monza 5	1000x445x400 mm	920x365x296 mm	65 kg	2	99 litres
110.400.0279	Salvus Monza 5 elo	1000x445x400 mm	920x365x296 mm	65 kg	2	99 litres

External dimensions are excluding 15 mm for the input unit.

Product no.	Model
180.500.0160	Additional key for Monza



MT6+ elo


SISTEC MT+



optional locks:



- Protection from fire and/or burglars
- ECB-S certified burglar resistance in accordance with EN 14450 S2
- SKG certified burglar resistance in accordance with SKG***
- Flame retardant filling in accordance with DIN 4102 (not tested)
- Standard finish with:
 - EN 1300 certified key lock with 2 keys or
 - EN 1300 certified electronic lock (incl. batteries)
- Shelf or shelves adjustable in height
- Door opening 90°
- Lock bolts on three sides
- MT3+/MT4+: base anchoring (2x) and back anchoring (2x)
- MT6+ and upwards: base anchoring (2x) (anchoring material supplied)
- Colour: blue (RAL 5013)



Product no.	Model	External dimensions HxWxD	Internal dimensions HxWxD	Weight	Shelves	Volume
110.400.0401	Sistec MT3+	330x460x390 mm	252x385x300 mm	54 kg	1	29 litres
110.400.0402	Sistec MT3+ elo	330x460x390 mm	252x385x300 mm	54 kg	1	29 litres
110.400.0403	Sistec MT4+	460x460x390 mm	382x385x300 mm	64 kg	1	44 litres
110.400.0404	Sistec MT4+ elo	460x460x390 mm	382x385x300 mm	64 kg	1	44 litres
110.400.0405	Sistec MT6+	610x460x390 mm	532x385x300 mm	79 kg	1	61 litres
110.400.0406	Sistec MT6+ elo	610x460x390 mm	532x385x300 mm	79 kg	1	61 litres
110.400.0407	Sistec MT6W+	610x600x500 mm	532x525x410 mm	108 kg	1	114 litres
110.400.0408	Sistec MT6W+ elo	610x600x500 mm	532x525x410 mm	108 kg	1	114 litres
110.400.0409	Sistec MT9+	900x600x500 mm	802x505x414 mm	139 kg	2	167 litres
110.400.0410	Sistec MT9+ elo	900x600x500 mm	802x505x414 mm	139 kg	2	167 litres

External dimensions are excluding 20 mm for the handle or 40 mm for the input unit.

Product no.	Model
180.500.0160	Additional key for MT+



Palermo 3 elo



SALVUS PALERMO




S2



LFS30P

- Protection from fire and/or burglars
- ECB-S certified burglar resistance in accordance with EN 14450 S2
- ECB-S certified fire resistance in accordance with EN 15659 LFS30P (30 minutes for paper)
- Standard finish with:
 - EN 1300 certified key lock with 2 keys or
 - EN 1300 certified electronic lock (incl. batteries)
- Shelf or shelves adjustable in height
- Door opening 180°
- Lock bolts on three sides
- Base anchoring (2x) (anchoring material supplied)
- Colour: anthracite (RAL 7024)



Product no.	Model	External dimensions HxWxD	Internal dimensions HxWxD	Weight	Shelves	Volume
110.400.0181	Salvus Palermo 1	315x445x450 mm	185x335x300 mm	57 kg	1	19 litres
110.400.0185	Salvus Palermo 1 elo	315x445x450 mm	185x335x300 mm	57 kg	1	19 litres
110.400.0182	Salvus Palermo 2	460x440x450 mm	330x330x300 mm	71 kg	1	32 litres
110.400.0186	Salvus Palermo 2 elo	460x440x450 mm	330x330x300 mm	71 kg	1	32 litres
110.400.0183	Salvus Palermo 3	670x440x450 mm	540x330x300 mm	96 kg	1	53 litres
110.400.0187	Salvus Palermo 3 elo	670x440x450 mm	540x330x300 mm	96 kg	1	53 litres
110.400.0184	Salvus Palermo 4	950x440x450 mm	822x330x300 mm	127 kg	2	81 litres
110.400.0188	Salvus Palermo 4 elo	950x440x450 mm	822x330x300 mm	127 kg	2	81 litres

External dimensions are excluding 30 mm for the hinges.

Product no.	Model	Internal dimensions HxWxD	Weight
180.700.0671	Key unit for Palermo 3, 192 hooks	540x300 mm	10 kg
180.500.0160	Additional key for Palermo		



TSF 1507

SISTEC TSF



S2




LFS30P

optional locks:

C D E F G H I

- Protection from fire and/or burglars
- ECB-S certified burglar resistance in accordance with EN 14450 S2
- ECB-S certified fire resistance in accordance with EN 15659 LFS30P (30 minutes for paper)
- Standard finish with:
EN 1300 certified key lock with 2 keys
- Shelf or shelves adjustable in height
- Door opening 180°
- Lock bolts on three sides
- Base anchoring (2x) (anchoring material supplied)
- Colour: light grey (RAL 7035)



Product no.	Model	External dimensions HxWxD	Internal dimensions HxWxD	Weight	Shelves	Volume
130.100.0031	Sistec TSF 1007	1000x700x550 mm	750x520x390 mm	170 kg	1	152 litres
130.100.0032	Sistec TSF 1009	1000x950x550 mm	750x770x390 mm	182 kg	1	225 litres
130.100.0033	Sistec TSF 1012	1000x1200x550 mm	750x1020x390 mm	230 kg	1	298 litres
130.100.0026	Sistec TSF 1507	1500x700x550 mm	1250x520x390 mm	250 kg	3	253 litres
130.100.0034	Sistec TSF 1907	1950x700x550 mm	1700x520x390 mm	275 kg	4	344 litres
130.100.0019	Sistec TSF 1909	1950x950x550 mm	1700x770x390 mm	356 kg	4	510 litres
130.100.0020	Sistec TSF 1912	1950x1200x550 mm	1700x1020x390 mm	430 kg	4	676 litres

External dimensions are excluding 80 mm for handle and hinges.

Product no.	Model
180.700.0262	Shelf for TSF 1007/1507/1907 , also suitable for A4 suspension files
180.700.0263	Shelf for TSF 1009/1909 , also suitable for A4 suspension files
180.700.0264	Shelf for TSF 1012/1912 , also suitable for A4 suspension files
180.700.0613	Pull out reference shelf for TSF 1007/1507/1907
180.700.0357	Pull out reference shelf for TSF 1009/1909
180.700.0358	Pull out reference shelf for TSF 1012/1912
180.700.0256	Lockable internal compartment for TSF 1007/1507/1907, height: 365 mm, colour: dark grey
180.700.0257	Lockable internal compartment for TSF 1009/1909, height: 365 mm, colour: dark grey
180.700.0258	Lockable internal compartment for TSF 1012/1912, height: 365 mm, colour: dark grey
180.700.0265	Pull out filing frame for TSF 1007/1507/1907
180.700.0266	Pull out filing frame for TSF 1009/1909
180.700.0267	Pull out filing frame for TSF 1012/1912
180.500.0137	Additional key for TSF



SALVUS AREZZO



S2 /GRADE I



LFS60P

slotoptions:

CEGH

- Protection from fire and/or burglars
- ECB-S certified burglar resistance in accordance with EN 14450 S2 or EN 1143-1 Grade I
- ECB-S certified fire resistance in accordance with EN 15659 LFS60P (60 minutes for paper)
- Standard finish with:
EN 1300 certified key lock with 2 keys
- Shelf or shelves adjustable in height
- Door opening 180°
- Lock bolts on three sides
- Base anchoring (2x) (anchoring material supplied)
- Colour: light grey (RAL 7035)



Product no.	Model	External dimensions HxWxD	Internal dimensions HxWxD	Weight	Shelves	Volume
130.100.0058	Salvus Arezzo S2	1950x940x585 mm	1760x801x392 mm	457 kg	4	553 litres
130.100.0064	Salvus Arezzo Grade 1	1950x940x585 mm	1760x801x392 mm	658 kg	4	553 litres

External dimensions are excluding 50 mm for handle and hinges.

Product no.	Model
180.700.0958	Pull out filing frame for Arezzo (A4)
180.500.0137	Additional key for Arezzo




Elegance 6241 elo

JUWEL ELEGANCE



- Protection from fire and/or burglars
- Flame retardant filling in accordance with DIN 4102 (not tested)
- Standard finish with:
 - EN 1300 certified key lock with 2 keys or
 - EN 1300 certified electronic lock (incl. batteries)
- Shelf or shelves adjustable in height
- Door opening 90°
- Lock bolts on three sides
- Base anchoring (2x) and back anchoring (2x)
- Colour: anthracite



JUWEL

Product no.	Model	External dimensions HxWxD	Internal dimensions HxWxD	Weight	Shelves	Volume
110.400.0083	Juwel Elegance 6230	315x415x378 mm	250x353x300 mm	38 kg	1	26 litres
110.400.0084	Juwel Elegance 6231 elo	315x415x378 mm	250x353x300 mm	38 kg	1	26 litres
110.400.0085	Juwel Elegance 6240	415x415x378 mm	350x353x300 mm	47 kg	1	37 litres
110.400.0086	Juwel Elegance 6241 elo	415x415x378 mm	350x353x300 mm	47 kg	1	37 litres
110.400.0087	Juwel Elegance 6250	610x415x378 mm	545x353x300 mm	61 kg	1	58 litres
110.400.0088	Juwel Elegance 6251 elo	610x415x378 mm	545x353x300 mm	61 kg	1	58 litres

External dimensions are excluding 10 mm for the handle.

Product no.	Model
180.500.0158	Additional key for Elegance



SE 0-80



SISTEC EUROGUARD SE 0




GRADE 0



optional locks:

C D E F G H I

- Protection from fire and/or burglars
- ECB-S certified burglar resistance in accordance with EN 1143-1 Grade 0
- Flame retardant filling in accordance with DIN 4102 (not tested)
- Fitted with EN 1300 certified key lock with 2 keys
- Shelf or shelves adjustable in height
- Door opening 180°
- Lock bolts on three sides
- Base anchoring (1x) (anchoring material supplied)
- Colour: light grey (RAL 7035)



Product no.	Model	External dimensions HxWxD	Internal dimensions HxWxD	Weight	Shelves	Volume
110.100.0026	Sistec SE 0-80	800x600x500 mm	670x460x360 mm	250 kg	2	111 litres
110.100.0027	Sistec SE 0-100	1000x600x500 mm	870x460x360 mm	300 kg	2	144 litres
110.100.0028	Sistec SE 0-120	1200x600x500 mm	1070x460x360 mm	300 kg	2	177 litres
110.100.0029	Sistec SE 0-140	1400x600x500 mm	1270x460x360 mm	300 kg	3	210 litres
110.100.0030	Sistec SE 0-160	1600x700x500 mm	1470x560x360 mm	300 kg	3	296 litres
110.100.0031	Sistec SE 0-180	1800x700x500 mm	1670x560x360 mm	330 kg	4	337 litres

External dimensions are excluding 48 mm for handle and hinges.

Product no.	Model
180.700.0252	Shelf for SE 0 80-140
180.700.0253	Shelf for SE 0 160-180
180.700.0254	Lockable internal compartment for SE 0 80-140, height: 180 mm, colour: dark grey
180.700.0255	Lockable internal compartment for SE 0 160-180, height: 180 mm, colour: dark grey
180.500.0172	Additional key for SE 0



EM 2 elo



SISTEC EM






GRADE I



optional locks:

C E G H

- Protection from fire and/or burglars
- Certified burglar resistance in accordance with EN 1143-1 Grade I
- Flame retardant filling in accordance with DIN 4102 (not tested)
- Standard finish with:
EN 1300 certified key lock with 2 keys or
EN 1300 certified electronic lock (incl. batteries)
- Shelf or shelves adjustable in height
- Door opening 90°
- Lock bolts on three sides
- Base anchoring (2x) and back anchoring (2x)
(anchoring material supplied)
- Colour: light grey (RAL 7035)



Product no.	Model	External dimensions HxWxD	Internal dimensions HxWxD	Weight	Shelves	Volume
110.100.0327	Sistec EM 0	280x370x350 mm	190x280x250 mm	38 kg	1	13 litres
110.100.0332	Sistec EM 0 elo	280x370x350 mm	190x280x250 mm	38 kg	1	13 litres
110.100.0328	Sistec EM 1	330x450x400 mm	240x360x300 mm	53 kg	1	26 litres
110.100.0333	Sistec EM 1 elo	330x450x400 mm	240x360x300 mm	53 kg	1	26 litres
110.100.0329	Sistec EM 2	450x450x400 mm	360x360x300 mm	66 kg	1	39 litres
110.100.0334	Sistec EM 2 elo	450x450x400 mm	360x360x300 mm	66 kg	1	39 litres
110.100.0330	Sistec EM 3	570x450x400 mm	480x360x300 mm	79 kg	1	52 litres
110.100.0335	Sistec EM 3 elo	570x450x400 mm	480x360x300 mm	79 kg	1	52 litres
110.100.0331	Sistec EM 4	690x450x400 mm	600x360x300 mm	92 kg	2	65 litres
110.100.0336	Sistec EM 4 elo	690x450x400 mm	600x360x300 mm	92 kg	2	65 litres

External dimensions are excluding 12 mm for the handle .

Product no.	Model
180.500.0160	Additional key for EM

SALVUS RAVENNA



GRADE I




LFS30P

optional locks:



Ravenna 1

- Protection from fire and/or burglars
- ECB-S certified burglar resistance in accordance with EN 1143-1 Grade I
- ECB-S certified fire resistance in accordance with EN 15659 LFS30P (30 minutes for paper)
- Standard finish with:
EN 1300 certified key lock with 2 keys or
EN 1300 certified electronic lock (incl. batteries)
- Shelf or shelves adjustable in height
- Door opening 180°
- Lock bolts on three sides
- Base anchoring (1x) (anchoring material supplied)
- Colour: anthracite (RAL 7024)



Product no.	Model	External dimensions HxWxD	Internal dimensions HxWxD	Weight	Shelves	Volume
110.100.0700	Salvus Ravenna 1	340x500x345 mm	262x424x216 mm	104 kg	1	24 litres
110.100.0701	Salvus Ravenna 1 elo	340x500x345 mm	262x424x216 mm	104 kg	1	24 litres
110.100.0704	Salvus Ravenna 3	460x440x430 mm	382x364x300 mm	135 kg	1	42 litres
110.100.0705	Salvus Ravenna 3 elo	460x440x430 mm	382x364x300 mm	135 kg	1	42 litres
110.100.0710	Salvus Ravenna 6	655x440x430 mm	574x364x300 mm	176 kg	1	63 litres
110.100.0711	Salvus Ravenna 6 elo	655x440x430 mm	574x364x300 mm	176 kg	1	63 litres
110.100.0712	Salvus Ravenna 7	840x650x550 mm	782x574x420 mm	320 kg	2	188 litres
110.100.0713	Salvus Ravenna 7 elo	840x650x550 mm	782x574x420 mm	320 kg	2	188 litres
110.100.0714	Salvus Ravenna 8	900x440x430 mm	822x364x300 mm	230 kg	2	90 litres
110.100.0715	Salvus Ravenna 8 elo	900x440x430 mm	822x364x300 mm	230 kg	2	90 litres

External dimensions are excluding 40 mm for handle and hinges.

Product no.	Model
180.500.0160	Additional key for Ravenna



Bologna 67

SALVUS BOLOGNA



GRADE I




LFS60P

optional locks:

D E F G H I

- Protection from fire and/or burglars
- ECB-S certified burglar resistance in accordance with EN 1143-1 Grade I
- ECB-S certified fire resistance in accordance with EN 15659 LFS60P (60 minutes for paper)
- Standard finish with:
EN 1300 certified key lock with 2 keys or
EN 1300 certified electronic lock (incl. batteries)
- Shelf or shelves adjustable in height
- Door opening 180°
- Lock bolts on three sides
- Base anchoring (1x) (anchoring material supplied)
- Colour: anthracite (RAL 7024)



Product no.	Model	External dimensions HxWxD	Internal dimensions HxWxD	Weight	Shelves	Volume
110.100.0108	Salvus Bologna 46	490x480x455 mm	330x332x295 mm	106 kg	1	33 litres
110.100.0119	Salvus Bologna 46 elo	490x480x455 mm	330x332x295 mm	106 kg	1	33 litres
110.100.0109	Salvus Bologna 67	670x480x455 mm	510x332x295 mm	136 kg	1	49 litres
110.100.0120	Salvus Bologna 67 elo	670x480x455 mm	510x332x295 mm	136 kg	1	49 litres
110.100.0110	Salvus Bologna 95	980x545x455 mm	820x400x295 mm	205 kg	1	94 litres
110.100.0121	Salvus Bologna 95 elo	980x545x455 mm	820x400x295 mm	205 kg	1	94 litres
110.100.0146	Salvus Bologna 133	1336x701x580 mm	1142x527x388 mm	413 kg	2	233 litres
110.100.0147	Salvus Bologna 133 elo	1336x701x580 mm	1142x527x388 mm	413 kg	2	233 litres
110.100.0148	Salvus Bologna 165	1652x701x580 mm	1459x527x388 mm	501 kg	3	298 litres
110.100.0149	Salvus Bologna 165 elo	1652x701x580 mm	1459x527x388 mm	501 kg	3	298 litres

External dimensions are excluding 40 mm for handle and hinges.

Product no.	Model
180.500.0160	Additional key for Bologna



SE I-4



SISTEC EUROGUARD SE I



GRADE I




LFS60P

optional locks:

C D E F G H I

- Protection from fire and/or burglars
- ECB-S certified burglar resistance in accordance with EN 1143-1 Grade I
- ECB-S certified fire resistance in accordance with EN 15659 LFS60P (60 minutes for paper)
- Standard finish with:
EN 1300 certified key lock with 2 keys
- Shelf or shelves adjustable in height
- Door opening 180°
- Lock bolts on three sides
- Base anchoring (1x) (anchoring material supplied)
- Colour: light grey (RAL 7035)



Product no.	Model	External dimensions HxWxD	Internal dimensions HxWxD	Weight	Shelves	Volume
110.100.0307	Sistec SE I-0	800x625x600 mm	654x480x392 mm	250 kg	1	123 litres
110.100.0308	Sistec SE I-1	1050x625x600 mm	904x480x392 mm	310 kg	1	170 litres
110.100.0309	Sistec SE I-2	1200x710x600 mm	1054x565x392 mm	380 kg	2	233 litres
110.100.0310	Sistec SE I-3	1450x710x600 mm	1304x565x392 mm	450 kg	2	288 litres
110.100.0311	Sistec SE I-4	1600x710x600 mm	1454x565x392 mm	480 kg	3	322 litres
110.100.0312	Sistec SE I-5	1850x795x600 mm	1704x650x392 mm	619 kg	3	434 litres
110.100.0306	Sistec SE I-6/2*	1850x1225x640 mm	1704x1079x432 mm	520 kg	3	794 litres

External dimensions are excluding 80 mm for handle and hinges. * Flame retardant filling in accordance with DIN 4102 (not tested)

Product no.	Model
180.700.0870	Shelf for SE I 0-1
180.700.0871	Shelf for SE I 2-4
180.700.0872	Shelf for SE I 5
180.700.0873	Shelf for SE I 6/2
180.700.0112	Lockable internal compartment for SE I 0-1, height: 190 mm, colour: dark grey
180.700.0113	Lockable internal compartment for SE I 2-4, height: 190 mm, colour: dark grey
180.700.0114	Lockable internal compartment for SE I 5, height: 190 mm, colour: dark grey
180.700.0115	Lockable internal compartment for SE I 6/2, height: 215 mm, colour: dark grey
180.700.0695	Lockable deposit drawer with electronic lock for SE I
180.500.0172	Additional key for SE I



SPS 117-1 60P

SISTEC SPS



GRADE I




S60P

optional locks:



- Protection from fire and/or burglars
- ECB-S certified burglar resistance in accordance with EN 1143-1 Grade I
- ECB-S certified fire resistance in accordance with EN 1047-1 S60P (60 minutes for paper)
- Standard finish with:
EN 1300 certified key lock with 2 keys
- Shelf or shelves adjustable in height
- Door opening 180°
- Lock bolts on three sides
- Base anchoring (1x) (anchoring material supplied)
- Colour: light grey (RAL 7035)



Product no.	Model	External dimensions HxWxD	Internal dimensions HxWxD	Weight	Shelves	Volume
110.100.0153	Sistec SPS 107-1 60P	1077x794x584 mm	786x637x351 mm	303 kg	1	168 litres
110.100.0154	Sistec SPS 117-1 60P	1177x794x584 mm	886x637x351 mm	370 kg	1	198 litres
110.100.0155	Sistec SPS 133-1 60P	1309x794x584 mm	1018x637x351 mm	404 kg	2	241 litres
110.100.0156	Sistec SPS 157-1 60P	1573x794x584 mm	1282x637x351 mm	493 kg	2	292 litres
110.100.0157	Sistec SPS 166-1 60P	1667x794x584 mm	1376x637x351 mm	528 kg	3	313 litres
110.100.0158	Sistec SPS 188-1 60P	1873x794x584 mm	1582x637x351 mm	564 kg	3	354 litres

External dimensions are excluding 80 mm for handle and hinges.

Product no.	Model
180.700.0396	Lockable internal compartment for SPS, height: 200 mm, colour: dark grey
180.700.0397	Lockable internal compartment for SPS, height: 365 mm, colour: dark grey
180.700.0363	Additional shelf for SPS
180.700.0359	Pull out reference shelf for SPS
180.700.0415	Pull out filing frame for (A4) for SPS
180.500.0146	Additional key for SPS



SDS 117-2 120P

SISTEC SDS



GRADE I




S120P

optional locks:

C E G H

- Protection from fire and/or burglars
- ECB-S certified burglar resistance in accordance with EN 1143-1 Grade I
- ECB-S certified fire resistance in accordance with EN 1047-1 S120P (120 minutes for paper)
- Standard finish with:
EN 1300 certified key lock with 2 keys
- Shelf or shelves adjustable in height
- Door opening 180°
- Lock bolts on three sides
- Base anchoring (1x) (anchoring material supplied)
- Colour: light grey (RAL 7035)

SISTEC



Product no.	Model	External dimensions HxWxD	Internal dimensions HxWxD	Weight	Shelves	Volume
110.100.0159	Sistec SDS 107-2 120P	1077x794x599 mm	786x637x351 mm	311 kg	1	168 litres
110.100.0160	Sistec SDS 117-2 120P	1177x794x599 mm	886x637x351 mm	380 kg	1	198 litres
110.100.0161	Sistec SDS 133-2 120P	1309x794x599 mm	1018x637x351 mm	414 kg	2	241 litres
110.100.0162	Sistec SDS 157-2 120P	1573x794x599 mm	1282x637x351 mm	505 kg	2	292 litres
110.100.0163	Sistec SDS 166-2 120P	1667x794x599 mm	1376x637x351 mm	540 kg	3	313 litres
110.100.0164	Sistec SDS 188-2 120P	1873x794x599 mm	1582x637x351 mm	615 kg	3	354 litres

External dimensions are excluding 80 mm for handle and hinges.

Product no.	Model
180.700.0396	Lockable internal compartment for SDS, height: 200 mm, colour: dark grey
180.700.0397	Lockable internal compartment for SDS, height: 365 mm, colour: dark grey
180.700.0363	Additional shelf for SDS
180.700.0359	Pull out reference shelf for SDS
180.700.0415	Pull out filing frame for (A4) for SDS
180.500.0146	Additional key for SDS



Milano 6

SALVUS MILANO



GRADE II




LFS30P

optional locks:

C D E F G H I

- Protection from fire and/or burglars
- ECB-S certified burglar resistance in accordance with EN 1143-1 Grade II
- ECB-S certified fire resistance in accordance with EN 15659 LFS30P (30 minutes for paper)
- Standard finish with:
EN 1300 certified key lock with 2 keys
- Shelf or shelves adjustable in height
- Door opening 180°
- Lock bolts on three sides
- Base anchoring (1x) and back anchoring (1x)
(anchoring material supplied)
- Colour: anthracite (RAL 7024)



Product no.	Model	External dimensions HxWxD	Internal dimensions HxWxD	Weight	Shelves	Volume
110.100.0600	Salvus Milano 1	460x470x470 mm	370x380x333 mm	169 kg	1	47 litres
110.100.0601	Salvus Milano 2	500x510x510 mm	410x420x373 mm	189 kg	1	64 litres
110.100.0602	Salvus Milano 3	670x510x510 mm	580x420x373 mm	248 kg	1	91 litres
110.100.0603	Salvus Milano 4	610x680x510 mm	520x590x373 mm	280 kg	1	114 litres
110.100.0604	Salvus Milano 5	810x680x510 mm	720x590x373 mm	346 kg	2	158 litres
110.100.0605	Salvus Milano 6	990x510x510 mm	900x420x373 mm	334 kg	2	141 litres
110.100.0606	Salvus Milano 7	1010x680x510 mm	920x590x373 mm	410 kg	2	202 litres
110.100.0607	Salvus Milano 8	1320x680x510 mm	1230x590x373 mm	515 kg	2	271 litres
110.100.0608	Salvus Milano 9	1510x850x600 mm	1400x740x453 mm	811 kg	3	469 litres
110.100.0609	Salvus Milano 10	1660x680x510 mm	1550x570x363 mm	695 kg	4	321 litres

External dimensions are excluding 40 mm for handle and hinges.

Product no.	Model
180.500.0160	Additional key for Milano



SE II-4



SISTEC EUROGUARD SE II



GRADE II




LFS60P

optional locks:

C D E F G H I

- Protection from fire and/or burglars
- ECB-S certified burglar resistance in accordance with EN 1143-1 Grade II
- ECB-S certified fire resistance in accordance with EN 15659 LFS60P (60 minutes for paper)
- Standard finish with:
EN 1300 certified key lock with 2 keys
- Shelf or shelves adjustable in height
- Door opening 180°
- Lock bolts on three sides
- Base anchoring (1x) (anchoring material supplied)
- Colour: light grey (RAL 7035)



Product no.	Model	External dimensions HxWxD	Internal dimensions HxWxD	Weight	Shelves	Volume
110.100.0313	Sistec SE II-0	800x625x600 mm	654x480x392 mm	300 kg	1	123 litres
110.100.0314	Sistec SE II-1	1050x625x600 mm	904x480x392 mm	350 kg	1	170 litres
110.100.0315	Sistec SE II-2	1200x710x600 mm	1054x565x392 mm	430 kg	2	233 litres
110.100.0316	Sistec SE II-3	1450x710x600 mm	1304x565x392 mm	570 kg	2	288 litres
110.100.0317	Sistec SE II-4	1600x710x600 mm	1454x565x392 mm	660 kg	3	322 litres
110.100.0318	Sistec SE II-5	1850x 795x600 mm	1704x650x392 mm	700 kg	3	434 litres
110.100.0076	Sistec SE II-6/2*	1850x1225x640 mm	1670x1079x432 mm	950 kg	3	794 litres

External dimensions are excluding 80 mm for handle and hinges. * Flame retardant filling in accordance with DIN 4102 (not tested)

Product no.	Model
180.700.0870	Shelf for SE II 0-1
180.700.0871	Shelf for SE II 2-4
180.700.0872	Shelf for SE II-5
180.700.0873	Shelf for SE II-6/2
180.700.0112	Lockable internal compartment for SE II 0-1, height: 190 mm, colour: dark grey
180.700.0113	Lockable internal compartment for SE II 2-4, height: 190 mm, colour: dark grey
180.700.0114	Lockable internal compartment for SE II 5, height: 190 mm, colour: dark grey
180.700.0115	Lockable internal compartment for SE II 6/2, height: 215 mm, colour: dark grey
180.700.0695	Lockable deposit drawer with electronic lock for SE II
180.500.0172	Additional key for SE II



Rome 4

SALVUS ROME



GRADE III




LFS30P

optional locks:

C D E F G H I

- Protection from fire and/or burglars
- ECB-S certified burglar resistance in accordance with EN 1143-1 Grade III
- ECB-S certified fire resistance in accordance with EN 15659 LFS30P (30 minutes for paper)
- Standard finish with:
EN 1300 certified key lock with 2 keys
- Shelf or shelves adjustable in height
- Door opening 180°
- Lock bolts on three sides
- Base anchoring (1x) and back anchoring (1x)
(anchoring material supplied)
- Colour: anthracite (RAL 7024)



Product no.	Model	External dimensions HxWxD	Internal dimensions HxWxD	Weight	Shelves	Volume
110.100.0650	Salvus Rome 1	500x510x510 mm	410x420x340 mm	219 kg	1	59 litres
110.100.0652	Salvus Rome 3	670x510x510 mm	580x420x340 mm	270 kg	1	83 litres
110.100.0653	Salvus Rome 4	810x680x510 mm	720x590x340 mm	379 kg	2	144 litres
110.100.0655	Salvus Rome 6	1010x680x510 mm	920x590x340 mm	449 kg	2	185 litres

External dimensions are excluding 50 mm for handle and hinges.

Product no.	Model
180.500.0147	Additional key for Rome



SE III-120/1

SISTEC EUROGUARD SE III




GRADE III



optional locks:

C D E F G H I

- Protection from fire and/or burglars
- ECB-S certified burglar resistance in accordance with EN 1143-1 Grade III
- Flame retardant filling in accordance with DIN 4102 (not tested)
- Optional with ECB-S certified fire resistance in accordance with EN 15659 LFS30P (30 minutes for paper)
- Standard finish with:
EN 1300 certified key lock with 2 keys
- Shelf or shelves adjustable in height
- Door opening 180°
- Lock bolts on three sides
- Up to 1000kg: Base anchoring (1x) (anchoring material supplied)
- Colour: light grey (RAL 7035)



Product no.	Model	External dimensions HxWxD	Internal dimensions HxWxD	Weight	Shelves	Volume
110.100.0080	Sistec SE III- 69/0	690x620x580 mm	510x450x340 mm	400 kg	1	78 litres
110.100.0081	Sistec SE III- 86/0	860x620x580 mm	680x450x340 mm	510 kg	1	104 litres
110.100.0082	Sistec SE III-103/0	1030x620x580 mm	850x450x340 mm	570 kg	2	130 litres
110.100.0083	Sistec SE III-120/0	1200x620x580 mm	1020x450x340 mm	630 kg	2	156 litres
110.100.0084	Sistec SE III-120/1	1200x825x700 mm	1020x655x460 mm	850 kg	2	307 litres
110.100.0085	Sistec SE III-138/1	1380x825x700 mm	1200x655x460 mm	950 kg	3	361 litres
110.100.0087	Sistec SE III-173/1	1730x825x700 mm	1550x655x460 mm	1150 kg	4	467 litres
110.100.0086	Sistec SE III-180/2	1800x1190x730 mm	1620x1020x490 mm	1450 kg	4	760 litres

External dimensions are excluding 80 mm for handle and hinges.

Product no.	Model
180.700.0075	Shelf for SE III 69/0 - 120/0
180.700.0076	Shelf for SE III 120/1 - 173/1
180.700.0077	Shelf for SE III 180/2
180.700.0116	Lockable internal compartment for SE III 69/0 - 120/0, height: 180 mm, colour: dark grey
180.700.0117	Lockable internal compartment for SE III 120/1 - 173/1, height: 180 mm, colour: dark grey
180.700.0391	Lockable internal compartment for SE III 180/2, height: 180 mm, colour: dark grey
180.700.0670	Lockable deposit drawer with electronic lock for SE III
180.500.0147	Additional key for SE III



Bergamo 3



SALVUS BERGAMO




GRADE IV



optional locks:

C D E F G H I

- Protection from fire and/or burglars
- ECB-S certified burglar resistance in accordance with EN 1143-1 Grade IV
- Flame retardant filling in accordance with DIN 4102 (not tested)
- Standard finish with:
2x EN 1300 certified key lock with 2 keys each
- Shelf or shelves adjustable in height
- Door opening 180°
- Lock bolts on three sides
- Base anchoring (1x) and back anchoring (1x)
(anchoring material supplied)
- Colour: anthracite (RAL 7024)



Product no.	Model	External dimensions HxWxD	Internal dimensions HxWxD	Weight	Shelves	Volume
110.100.0750	Salvus Bergamo 1	550x550x520 mm	460x460x350 mm	287 kg	1	74 litres
110.100.0751	Salvus Bergamo 2	670x550x520 mm	580x460x350 mm	334 kg	1	93 litres
110.100.0752	Salvus Bergamo 3	840x550x520 mm	750x460x350 mm	398 kg	1	121 litres
110.100.0753	Salvus Bergamo 4	1010x550x520 mm	920x460x350 mm	455 kg	2	148 litres

External dimensions are excluding 48 mm for handle and hinges.

Product no.	Model
180.500.0147	Additional key for Bergamo



SE IV-120/0



SISTEC EUROGUARD SE IV




GRADE IV



optional locks:



- Protection from fire and/or burglars
- ECB-S certified burglar resistance in accordance with EN 1143-1 Grade IV
- Flame retardant filling in accordance with DIN 4102 (not tested)
- Standard finish with:
EN 1300 certified key lock with 2 keys and
EN 1300 certified mechanical combination lock
- Shelf or shelves adjustable in height
- Door opening 180°
- Lock bolts on three sides
- Up to 1000kg: Base anchoring (1x) [anchoring material supplied]
- Colour: light grey (RAL 7035)



Product no.	Model	External dimensions HxWxD	Internal dimensions HxWxD	Weight	Shelves	Volume
110.100.0089	Sistec SE IV-86/0	860x620x580 mm	680x450x340 mm	585 kg	1	99 litres
110.100.0090	Sistec SE IV-103/0	1030x620x580 mm	850x450x340 mm	690 kg	2	124 litres
110.100.0091	Sistec SE IV-120/0	1200x620x580 mm	1020x450x340 mm	710 kg	2	149 litres
110.100.0092	Sistec SE IV-120/1	1200x825x700 mm	1020x655x460 mm	1010 kg	2	307 litres
110.100.0093	Sistec SE IV-138/1	1380x825x700 mm	1200x655x460 mm	1170 kg	3	349 litres
110.100.0094	Sistec SE IV-173/1	1730x825x700 mm	1550x655x460 mm	1380 kg	4	451 litres
110.100.0095	Sistec SE IV-180/2	1800x1190x730 mm	1620x1020x490 mm	1892 kg	4	735 litres

External dimensions are excluding 80 mm for handle and hinges.

Product no.	Model
180.700.0075	Shelf for SE IV 86/0 - 120/0
180.700.0076	Shelf for SE IV 120/1 - 173/1
180.700.0077	Shelf for SE IV 180/2 - 86/2
180.700.0116	Lockable internal compartment for SE IV 69/0 - 120/0, height: 180 mm, colour: dark grey
180.700.0117	Lockable internal compartment for SE IV 120/1 - 173/1, height: 180 mm, colour: dark grey
180.700.0391	Lockable internal compartment for SE IV 180/2, height: 180 mm, colour: dark grey
180.700.0670	Lockable deposit drawer with electronic lock for SE IV
180.500.0147	Additional key for SE IV



Massa 2



SALVUS MASSA




GRADE V



optional locks:



- Protection from fire and/or burglars
- ECB-S certified burglar resistance in accordance with EN 1143-1 Grade V
- Flame retardant filling in accordance with DIN 4102 (not tested)
- Standard finish with:
2x EN 1300 certified key lock with 2 keys each
- Shelf or shelves adjustable in height
- Door opening 180°
- Lock bolts on three sides
- Base anchoring (1x) and back anchoring (1x)
(anchoring material supplied)
- Colour: anthracite (RAL 7024)



Product no.	Model	External dimensions HxWxD	Internal dimensions HxWxD	Weight	Shelves	Volume
110.100.0800	Salvus Massa 1	680x680x620 mm	540x540x382 mm	672 kg	1	111 litres
110.100.0801	Salvus Massa 2	840x680x670 mm	700x540x432 mm	833 kg	1	163 litres
110.100.0802	Salvus Massa 3	1010x680x670 mm	870x540x432 mm	970 kg	2	203 litres
110.100.0803	Salvus Massa 4	1320x680x670 mm	1180x540x432 mm	1230 kg	3	275 litres
110.100.0804	Salvus Massa 5	1510x680x670 mm	1370x540x432 mm	1385 kg	3	320 litres

External dimensions are excluding 50 mm for handle and hinges.

Product no.	Model
180.500.0147	Additional key for Massa



SE V-120/0



SISTEC EUROGUARD SE V




GRADE V



optional locks:



- Protection from fire and/or burglars
- ECB-S certified burglar resistance in accordance with EN 1143-1 Grade V
- Flame retardant filling in accordance with DIN 4102 (not tested)
- Standard finish with:
EN 1300 certified key lock with 2 keys and
EN 1300 certified mechanical combination lock
- Shelf or shelves adjustable in height
- Door opening 180°
- Lock bolts on three sides
- Up to 1000kg: Base anchoring (1x) (anchoring material supplied)
- Colour: light grey (RAL 7035)




Product no.	Model	External dimensions HxWxD	Internal dimensions HxWxD	Weight	Shelves	Volume
110.100.0077	Sistec SE V-86/0	860x620x580 mm	680x450x340 mm	610 kg	1	99 litres
110.100.0096	Sistec SE V-103/0	1030x620x580 mm	850x450x340 mm	710 kg	2	124 litres
110.100.0097	Sistec SE V-120/0	1200x620x580 mm	1020x450x340 mm	790 kg	2	149 litres
110.100.0098	Sistec SE V-120/1	1200x825x700 mm	1020x655x460 mm	1060 kg	2	307 litres
110.100.0099	Sistec SE V-138/1	1380x825x700 mm	1200x655x460 mm	1210 kg	3	349 litres
110.100.0100	Sistec SE V-173/1	1730x825x700 mm	1550x655x460 mm	1460 kg	4	451 litres
110.100.0101	Sistec SE V-180/2	1800x1190x730 mm	1620x1020x490 mm	1960 kg	4	735 litres

External dimensions are excluding 80 mm for handle and hinges.

Product no.	Model
180.700.0075	Shelf for SE V 86/0 - 120/0
180.700.0076	Shelf for SE V 120/1 - 173/1
180.700.0077	Shelf for SE V 180/2 - 86/2
180.700.0116	Lockable internal compartment for SE V 69/0 - 120/0, height: 180 mm, colour: dark grey
180.700.0117	Lockable internal compartment for SE V 120/1 - 173/1, height: 180 mm, colour: dark grey
180.700.0391	Lockable internal compartment for SE V 180/2, height: 180 mm, colour: dark grey
180.700.0670	Lockable deposit drawer with electronic lock for SE V
180.500.0147	Additional key for SE V

TAILORED SOLUTIONS



**Are you looking for a special finish or safe interior?
Please contact us and we will gladly inform you about
the possibilities.**




RETAIL AND ASSET MANAGEMENT

2



DEPOSITBOX

- For the deposit of banknotes
- Fitted with: cylinder lock on cradle and cassette
- Installation via cradle
- Colour: black (RAL 9005)



Product no.	Model	External dimensions HxWxD	Weight
111.000.0003	Depositbox	225x100x190 mm	2.3 kg

External dimensions are excluding 40 mm for the handle.




7703 elo



SALVUS 77-SERIE



- Protection from burglars
- Standard finish with:
EN 1300 certified key lock with 2 keys or
EN 1300 certified electronic lock with programmable opening delay
(incl. batteries)
- Installation via mounting plate
- Colour: anthracite (RAL 7024)



Product no.	Model	External dimensions HxWxD	Weight
111.000.0005	Salvus 7701	300x150x200 mm	10 kg
111.000.0059	Salvus 7703 elo	340x150x200 mm	10 kg


External dimensions are excluding 40 mm for the handle.



EURO 100.3



- Protection from burglars
- Standard finish with:
Key lock with programmable electronic opening delay
(incl. power supply)
- Installation via mounting plate
- Colour: white (RAL 9001)



Product no.	Model	External dimensions HxWxD	Weight
111.000.0004	Euro 100.3	360x130x220 mm	8,4 kg

External dimensions are excluding 15 mm for the handle.

Product no.	Model
180.700.0686	Warning sticker opening delay




Monopoli 1 elo



SALVUS MONOPOLI



- Protection from burglars
- Standard finish with:
EN 1300 certified key lock with 2 keys or
EN 1300 certified electronic lock with programmable opening delay (incl. batteries)
- Door opening 180°
- Lock bolts on three sides
- Anti-fish baffle prevents theft through the deposit door
- Monopoli 1: deposit slot 69x210 mm (HxW)
- Monopoli 2: deposit slot 69x210 mm (HxW) + internal compartment
- Monopoli 3: deposit slot 108x299 mm (HxW) + 2 separate compartments
- Base anchoring (1x) (anchoring material supplied)
- Colour: anthracite (RAL 7024)



Product no.	Model	External dimensions HxWxD	Internal dimensions HxWxD	Weight	Volume
111.000.0045	Salvus Monopoli 1	489x342x381 mm	464x330x317 mm	38 kg	38 litres
111.000.0048	Salvus Monopoli 1 elo	489x342x381 mm	464x330x317 mm	38 kg	38 litres
111.000.0046	Salvus Monopoli 2	812x419x427 mm	796x407x336 mm	70 kg	108 litres
111.000.0049	Salvus Monopoli 2 elo	812x419x427 mm	796x407x336 mm	70 kg	108 litres
111.000.0073	Salvus Monopoli 2 without compartment	812x419x427 mm	796x407x336 mm	70 kg	108 litres
111.000.0088	Salvus Monopoli 2 elo without compartment	812x419x427 mm	796x407x336 mm	70 kg	108 litres
111.000.0047	Salvus Monopoli 3	1000x419x400 mm	567x407x336 mm*	95 kg	78 litres

External dimensions are excluding 25 mm for handle and hinges.

*Internal dimensions 2nd compartment: 417x407x336 mm (HxWxD)

Product no.	Model
180.500.0160	Additional key for Monopoli
180.700.0686	Warning sticker opening delay




HS66



SALVUS HS66



- Protection from burglars
- Standard finish with:
EN 1300 certified key lock with 2 keys or
EN 1300 certified electronic lock with programmable opening delay (incl. batteries)
- Shelf adjustable in height
- Door opening 90°
- Lock bolts on three sides
- Lockable deposit door with Anti-Fish baffle
- Deposit slot: 25x250 mm (HxW)
- Anchoring by the rear side (2x)
- Colour: anthracite (RAL7016)



Product no.	Model	External dimensions HxWxD	Internal dimensions HxWxD	Weight	Shelves	Volume
111.000.0018	Salvus HS66	650x500x500 mm	530x410x400 mm	65 kg	1	87 litres
111.000.0019	Salvus HS66 elo	650x500x500 mm	530x410x400 mm	65 kg	1	87 litres

External dimensions are excluding 50 mm for handle and hinges.

Product no.	Model
180.500.0160	Additional key for HS66
180.700.0686	Warning sticker opening delay





6874

JUWEL

JUWEL 68-SERIES



- Protection from burglars
- Standard finish with electronic lock with programmable opening delay (incl. batteries)
- Shelf or shelves adjustable in height
- Door opening 90°
- Lock bolts on three sides
- Deposit slot: 10x200 mm (HxW)
- Base anchoring (2x) and back anchoring (2x)
- Colour: light grey



Product no.	Model	External dimensions HxWxD	Internal dimensions HxWxD	Weight	Shelves	Volume
111.100.0039	Juwel 6824	300x370x290 mm	292x362x226 mm	27 kg	1	24 litres
111.100.0040	Juwel 6874	610x410x380 mm	602x402x315 mm	58 kg	1	76 litres


Product no.	Model
180.700.0686	Warning sticker opening delay



JUWEL ELEGANCE



- Protection from burglars
- Standard finish with:
EN 1300 certified electronic lock with programmable opening delay (incl. batteries)
- Shelf adjustable in height
- Door opening 90°
- Lock bolts on three sides
- Deposit slot: 10x200 mm (HxW)
- Base anchoring (2x) and back anchoring (2x)
- Colour: anthracite



JUWEL

Product no.	Model	External dimensions HxWxD	Internal dimensions HxWxD	Weight	Shelves	Volume
111.000.0020	Juwel Elegance 6242 deposit	415x415x378 mm	350x353x300 mm	47 kg	1	37 litres

External dimensions are excluding 10 mm for the handle.

Product no.	Model
180.700.0686	Warning sticker opening delay



Siena DI-1




SALVUS SIENA / FLORENCE



optional locks:



- Protection from fire and/or burglars
- Siena: construction according to EN 1143-1 Grade I
- Florence: construction according to EN 1143-1 Grade II
- Flame retardant filling in accordance with DIN 4102 (not tested)
- Standard finish with: EN 1300 certified electronic lock with programmable opening delay (incl. batteries)
- Shelf or shelves adjustable in height
- Door opening 180°
- Lock bolts on three sides
- Lockable deposit drawer with anti-fish baffle
- Internal dimensions drawer: 100x200x200 mm (HxWxD)
- Base anchoring (1x)
- Colour: light grey (RAL 7035)



Product no.	Model	External dimensions HxWxD	Internal dimensions HxWxD	Weight	Shelves	Volume
111.000.0021	Salvus Siena DI-00	800x560x600 mm	380x390x410 mm	175 kg	1	57 litres
111.000.0022	Salvus Siena DI-0	960x560x600 mm	540x390x410 mm	195 kg	1	86 litres
111.000.0023	Salvus Siena DI-1	1140x560x600 mm	720x390x410 mm	225 kg	2	115 litres
111.000.0024	Salvus Siena DI-2	1320x640x600 mm	900x470x410 mm	275 kg	2	208 litres

External dimensions are excluding 48 mm for handle and hinges.

Product no.	Model	External dimensions HxWxD	Internal dimensions HxWxD	Weight	Shelves	Volume
111.000.0025	Salvus Florence DII-00	800x560x600 mm	380x390x410 mm	220 kg	1	57 litres
111.000.0026	Salvus Florence DII-0	960x560x600 mm	540x390x410 mm	245 kg	1	86 litres
111.000.0027	Salvus Florence DII-1	1140x560x600 mm	720x390x410 mm	280 kg	2	115 litres
111.000.0028	Salvus Florence DII-2	1320x640x600 mm	900x470x410 mm	345 kg	2	208 litres

External dimensions are excluding 48 mm for handle and hinges.

Product no.	Model
180.500.0137	Additional key for Siena DI / Florence D-II
180.700.0686	Warning sticker opening delay



EM3-D elo



SISTEC EM3-D



GRADE I



optional locks:

C E G H

- Protection from fire and/or burglars
- Certified burglar resistance in accordance with EN 1143-2 Grade I
- Flame retardant filling in accordance with DIN 4102 (not tested)
- Standard finish with:
 - EN 1300 certified key lock with 2 keys or
 - EN 1300 certified electronic lock with programmable opening delay (incl. batteries)
- Shelf or shelves adjustable in height
- Door opening 90°
- Lock bolts on three sides
- Lockable deposit drawer with Anti-Fish baffle
- Internal dimensions drawer: 240x50x190 mm (HxWxD)
- Base anchoring (2x) and back anchoring (2x)
- Colour: light grey (RAL 7035)



Product no.	Model	External dimensions HxWxD	Internal dimensions HxWxD	Weight	Shelves	Volume
110.100.0280	Sistec EM3-D	770x450x400 mm	480x360x300 mm	99 kg	1	52 litres
110.100.0281	Sistec EM3-D elo	770x450x400 mm	480x360x300 mm	99 kg	1	52 litres

External dimensions are excluding 50 mm for the input unit.

Product no.	Model
180.500.0160	Additional key for EM3-D
180.700.0686	Warning sticker opening delay



Tivoli 2



SALVUS TIVOLI



GRADE I




locks safe:

CEGH

locks drawer:

CE

- Protection from fire and/or burglars
- ECB-S certified burglar resistance in accordance with EN 1143-2 Grade I
- Flame retardant filling in accordance with DIN 4102 (not tested)
- Standard finish with:
EN 1300 certified key lock with 2 keys
- Shelf or shelves adjustable in height
- Door opening 180°
- Lock bolts on three sides
- Lockable deposit drawer with Anti-fish baffle
- Internal dimensions drawer: 104x517x124 mm (HxWxD)
- Base anchoring (anchoring material supplied)
- Colour: anthracite (RAL 7024)



Product no.	Model	External dimensions HxWxD	Internal dimensions HxWxD	Weight	Shelves	Volume
111.000.0150	Salvus Tivoli 1	670x650x550 mm	455x573x423 mm	190 kg	-	100 litres
111.000.0151	Salvus Tivoli 2	840x650x550 mm	616x573x423 mm	225 kg	1	149 litres
111.000.0152	Salvus Tivoli 3	1040x650x550 mm	816x573x423 mm	270 kg	2	198 litres
111.000.0153	Salvus Tivoli 4	1240x650x550 mm	1016x573x423 mm	315 kg	2	246 litres

External dimensions are excluding 55 mm for handle and hinges.

Product no.	Model
180.500.0137	Additional key for Tivoli



SALVUS MODULAR CASH DRAWER SAFE



optional locks: on request

- Protection from burglars
- Standard finish with:
EN 1300 certified key lock with 2 keys per compartment
- Modular: endlessly extendable in height and width
- Suitable for ADS cash drawer (doorway 140 x 190 mm)
- Various options, ask us about the options
- Door opening 90°
- Base anchoring (2x) and back anchoring (2x)
- Colour: light grey (RAL 7035)



Product no.	Model	External dimensions HxWxD	Internal dimensions HxWxD	Weight
112.200.0001	Salvus 4-compartment modular cash drawer safe	620x240x530 mm	140x234x495 mm	40 kg




SISTEC S1



optional locks:

C E G H

- Protection from burglars
- Security cupboard for storage of valuables such as electronic equipment and tobacco
- Standard finish with double lock:
EN 1300 certified key lock with 2 keys and
EN 1300 certified electronic lock (incl. batteries)
- Shelf or shelves adjustable in height
- Door opening 180°
- Lock bolts on three sides
- Base anchoring (2x)
- Colour: light grey (RAL 7035)



Product no.	Model	External dimensions HxWxD	Internal dimensions HxWxD	Weight	Shelves	Volume
110.300.0111	Sistec S1	1800x1000x550 mm	1794x994x500 mm	245 kg	4	892 litres

External dimensions are excluding 80 mm for handle and hinges.

Product no.	Model
180.500.0137	Additional key for S1

TAILORED SOLUTIONS

If you can't find the right safe, get in touch with us and we will gladly tell you about the extensive range of options.

For example:

- Internal deposit
- Compartments for cash drawers
- Deposit drawer
- Through the wall deposit safes
- Connection to alarm systems
- Internet connection



TAILORED SOLUTIONS

SISTEC 19" INTEGRATED SAFE

One secure issuing location for electronics, important keys, and sensitive information!

Wherever companies use valuable electronic equipment, like hand-held terminals, laptops, tablets, and smartphones, there is always a risk of burglary and fraud. Also simply forgetting to hand in equipment, but also important keys and documents containing sensitive information, can cause unnecessary worries.

De Sistec 19" Integrated Safe offers a solution for companies that want to protect their electronic equipment, important keys, and documents against burglary and/or fire, and which at the same time want to manage and control the issuing and taking back of electronic equipment and have access to the full 'track'.

Easy management software

By using an easy computer wizard, authorisations for certain lockers and key positions can be given to users or user groups. It is also possible to allocate certain equipment to specific lockers.

Each user has to use a user profile or staff pass to access the system before a locker can be opened, that way it is easy to record and check the issuing and taking back of individual equipment. This way you will have certainty about where your valuable equipment, important keys, and documents are.

Unique benefits

- Secure storage of electronic equipment, important keys, and documents
- Various levels of protection against burglary and/or fire
- Dimensions and lock options to meet your needs
- Modular set up of the interior of the safe with lockers, key panels, and frames for suspension files with RFID-tags
- Automated and controlled issuing of equipment, keys, and documentation
- Extensive audit trail (logging)

Operation panel

Users can get access with an access code, badge, or company pass.

Key management

Issuing of keys is based on authorisation.

Various sizes

The safe is available in various sizes. Adapting colours is one of the possibilities!

Certified protection

The Sistec Integrated Safe is available with different levels of protection against burglary and/or fire. The safe has been tested and certified by European standards to provide maximum security.

Lockers - small


These safes are suitable for small sized electronics, like smartphones, tablets, and hand-held terminals (scanners).

Lockers - large

These are suitable for larger sized electronics, like laptops and cameras, but also valuables and documentation.

Suspension files frame

Documents that contain important and sensitive information can be saved in these files. Adding an RFID-chip used for tracking is optional.



Ask us about the options


FLEXOFIN MODULAR SAFE ROOMS

Bunkerkit has achieved a revolution in the market for modular safe rooms with the new Flexofin safe room, grade V (EN 1143-1). The product is the lightest safe room on the market and so it can be installed practically anywhere, even when the floor can only support a limited weight.

The modular assembly means that it can be quickly and easily integrated into an existing building. The compact and thin panels can be made to measure so that obstacles like balconies and columns can be easily integrated into the safe room.



- Very light safe room, can be installed almost anywhere, even where the amount of weight a floor can carry is limited.
- Modular assembly, can easily be integrated into the existing surroundings.
- Fast assembly, easy to move and dimensions can be adjusted.
- ECB-S certified in accordance with EN 1143-1 Grade I to V.
- Certified burglary resistance according to the European standards EN 1627-1630 for resistance levels WK3, WK4 and WK5.
- Certified bullet resistance according to the European standards EN 1522-1523 levels FB4, AK47, FB6, FB7 and Kalashnikov.



Ask us about the options



KEY STORAGE AND MANAGEMENT

3



5401D

MASTER LOCK



- Protection from burglars
- High resistance against external blows and sawing
- Weatherproof thanks to protective cap
- Discrete fixing to the wall
- Personal code

Master Lock



5403D



5400D



5412D



5415D



5425D

Product no.	Model	External dimensions HxWxD	Specifications
150.200.0025	Key safe Master Lock 5401D	121x83x32 mm	Solid steel body, personal combination
150.200.0060	Key safe Master Lock 5403D	146x106x52 mm	Extra large, also suited for (key) cards)
150.200.0063	key safe Master Lock 5400D	105x85x35 mm	Especially developed for attaching it to door knobs
150.200.0062	Key safe Master Lock 5412D	132x98x60 mm	Push button lock with reprogrammable code
150.200.0073	Key safe Master Lock 5415D	145x105x45 mm	Extra heavy door and special anti-theft fixing
150.200.0076	Key safe Master Lock 5425D	126x72x52 mm	Automatically illuminated buttons




PUCK



SKG**

- Steel casing protects against vandalism and burglary
- 4-digit passcode, 10,000 combinations
- Keypad is protected by privacy cap
- Code resets automatically after opening
- SKG** approved
- Easy mounting (anchoring material supplied)



puck
KEYSAFE



Product no.	Model	External dimensions HxWxD	Specifications
150.200.0088	Puck Key safe SKG**	121x83x32 mm	Solid steel body, personal combination




CODEBOX 27

CODEBOX

CODEBOX



- Protection from burglars
- Standard finish with:
Electronic lock with emergency key (incl. batteries)
- Numbered key hooks (incl. labels)
- Door opening 90°
- Electronic lock with led-display and two user codes
- Alarm if the safe door remains open
- Emergency key override and emergency power supply
- Anchoring by the rear side (4x) (anchoring material supplied)
- Colour: light grey (RAL 7035)



Product no.	Model	Specifications	External dimensions HxWxD
150.200.0074	CODEBOX 27	Key safe with electronic lock and 27 hooks	360x300x100 mm
150.200.0075	CODEBOX 72	Key safe with electronic lock and 72 hooks	450x360x120 mm



Mobile key safe large

Mobile key safe small

SALVUS MOBILE KEY SAFE



optional locks:

C E G H

- Protection from burglars
- Standard finish with:
EN 1300 certified electronic lock with master code, user code and emergency key
Small model: EN 1300 certified key lock
- Robust gas spring on safe door for safety and convenience
- 12 key compartments including one for keycards (large model)
- Door opening 90°
- Lock bolts on three sides
- Installation via universal mounting plate with clever click system
- Colour: black (RAL 9005)



Product no.	Model	External dimensions HxWxD	Internal dimensions per compartment HxWxD	Weight
112.100.0110	Salvus mobile key safe small	200x170x300 mm	155x160x230 mm	14 kg
112.100.0104	Salvus mobile key safe large	251x328x425 mm	155x160x55 mm	30 kg

External dimensions are excluding input unit, gas spring and handles.



Juwel 7061

JUWEL KEY SAFES



- Protection from burglars
- Standard finish with:
EN 1300 certified double bitted key lock with 2 keys or
cylinder lock or
EN 1300 certified electronic lock (incl. batteries) or
EN 1300 certified electronic lock (incl. batteries) + emergency key
- Door opening 90°
- Back anchoring (4x)
- Colour: light grey

JUWEL



Product no.	Model	Specifications	External dimensions HxWxD	Weight
112.100.0035	Juwel key safe 7061	40 hooks; double bitted key lock	410x330x130 mm	15 kg
112.100.0036	Juwel key safe 7071	120 hooks; double bitted key lock	410x330x130 mm	16 kg
112.100.0037	Juwel key safe 7081	40 hooks; cylinder lock	410x330x130 mm	15 kg
112.100.0033	Juwel key safe 7091	120 hooks; cylinder lock	410x330x130 mm	16 kg
112.100.0113	Juwel key safe 7962	40 hooks; electronic lock Basic	410x330x130 mm	15 kg
112.100.0114	Juwel key safe 7972	120 hooks; electronic lock Basic	410x330x130 mm	16 kg
112.100.0106	Juwel key safe 7183	40 hooks; electronic lock + emergency key	410x330x130 mm	15 kg
112.100.0107	Juwel key safe 7193	120 hooks; electronic lock + emergency key	410x330x130 mm	16 kg

Product no.	Model
180.500.0158	Additional key for 7061 / 7071



SALVUS



SALVUS MONZA KEY SAFE



- Protection from fire and/or burglars
- ECB-S certified burglar resistance in accordance with EN 14450 S2
- Flame retardant filling in accordance with DIN 4102 (not tested)
- Standard finish with:
 - EN 1300 certified key lock with 2 keys or
 - EN 1300 certified electronic lock (incl. batteries)
- 3 telescopic key panels included (200 hooks)
- Door opening 90°
- Lock bolts on three sides
- Base anchoring (2x) and back anchoring (1x) (anchoring material supplied)
- Colour: light grey (RAL 7035)

Product no.	Model	Specifications	External dimensions HxWxD	Weight
110.400.0291	Salvus Monza key safe 200	200 hooks; double bitted key lock	600x445x400 mm	59 kg
110.400.0292	Salvus Monza key safe 200 elo	200 hooks; electronic lock	600x445x400 mm	59 kg

External dimensions are excluding 20 mm for the handle.

Product no.	Model
180.500.0160	Additional key for Salvus Monza key safe



SISTEC SK KEY SAFE



optional locks:



- Protection from fire and/or burglars
- ECB-S certified burglar resistance in accordance with EN 14450 S2
- SKG certified burglar resistance in accordance with SKG***
- Flame retardant filling in accordance with DIN 4102 (not tested)
- Standard finish with:
 - EN 1300 certified key lock with 2 keys or
 - EN 1300 certified electronic lock (incl. batteries)
- Equipped with large key hooks
- Suitable for wall mounting thanks to relatively small depth
- Door opening 90°
- Lock bolts on three sides
- back anchoring (4x) (anchoring material supplied)
- Colour: light grey (RAL 7035)



Product no.	Model	Specifications	External dimensions HxWxD	Weight
110.400.0432	Sistec SK key safe 34	34 hooks; double bitted key lock	460x460x250 mm	53 kg
110.400.0435	Sistec SK key safe 34 elo	34 hooks; electronic lock	460x460x250 mm	53 kg
110.400.0433	Sistec SK key safe 68	68 hooks; double bitted key lock	610x460x250 mm	69 kg
110.400.0436	Sistec SK key safe 68 elo	68 hooks; electronic lock	610x460x250 mm	69 kg
110.400.0434	Sistec SK key safe 126	126 hooks; double bitted key lock	900x600x250 mm	106 kg
110.400.0437	Sistec SK key safe 126 elo	126 hooks; electronic lock	900x600x250 mm	106 kg

External dimensions are excluding 20 mm for handle.

Product no.	Model
180.500.0160	Additional key for key safe Grade 0



SALVUS KEY SAFE GRADE 0




GRADE 0



optional locks:

C E G H

- Protection from fire and/or burglars
- Certified burglar resistance in accordance with EN 1143-1 Grade 0
- Standard finish with:
EN 1300 certified key lock with 2 keys or
EN 1300 certified electronic lock (incl. batteries)
- Door opening 180°
- Lock bolts on three sides
- Anchoring by the rear side (4x)
- Colour: anthracite (RAL 7024)



Product no.	Model	Specifications	External dimensions HxWxD	Weight
112.100.0050	Salvus key safe 56	56 hooks; key lock	420x500x210 mm	45 kg
112.100.0051	Salvus key safe 56 elo	56 hooks; electronic lock	420x500x210 mm	45 kg
112.100.0052	Salvus key safe 100	100 hooks; key lock	600x500x210 mm	62 kg
112.100.0053	Salvus key safe 100 elo	100 hooks; electronic lock	600x500x210 mm	62 kg
112.100.0054	Salvus key safe 183	183 hooks; key lock	800x600x210 mm	99 kg
112.100.0055	Salvus key safe 183 elo	183 hooks; electronic lock	800x600x210 mm	99 kg

External dimensions are excluding 40 mm for handle and hinges.

Product no.	Model
180.500.0160	Additional key for key safe Grade 0



KEYCONDUCTOR KEY MANAGEMENT

- Contactless system
- Automatic registration by means of free software
- Identification via unique barcode number or UHF RFID tag
- Standard cabinet size: 24, 60, 108 or 80 key positions
- Flexible and scalable up to thousands of positions
- Individual locking of the KeyCop.
- Integrated barcode scanner
- Diverse possibilities for customisation




KeyConductor electronic key cabinet

You can use KeyConductor to computerise your entire inventory of keys. This electronic key cabinet is available in various sizes and works together with KeyCop RFID key tags. The system is extremely flexible and can be upgraded to more than a thousand key positions.

The KeyCop, the keyring the keys are attached to, is integral to the system. Employees login with the KeyConductor's integrated keyboard to pick-up keys. The key or sets of keys for which they are authorised light up and are unlocked. When the keys are brought back, the employee scans the barcode with the integrated barcode scanner. The position then lights up where the key belongs. The lock closes immediately once the key is put back, so it can't be removed or replaced. The KeyConductor remembers the collection and issuing of keys.

The cabinet can be installed easily and only needs to be connected to an electricity supply. The KeyCopManager software allows you to easily create master data for, for instance, users, passwords and authorisations for specific keys.

price on request



DATA SAFES

4



S13 with drawers and compartment



SISTEC DATASAFES S




S120DIS

optional locks:



- Protection from fire and/or burglars
- ECB-S certified fire resistance in accordance with EN 1047-1 S120DIS (120 minutes for data)
- Standard finish with:
EN 1300 certified key lock with 2 keys
- Equipped with emergency locking
- Can be fitted with shelves and/or drawers (exclusive)
- Door opening 180°
- Lock bolts on three sides
- Colour: light grey (RAL 7035)



Product no.	Model	External dimensions HxWxD	Internal dimensions HxWxD	Weight	Shelves	Volume
110.200.0004	Sistec S11	732x756x833 mm	332x444x470 mm	288 kg	0	71 litres
110.200.0005	Sistec S12	1050x756x833 mm	652x444x470 mm	380 kg	0	139 litres
110.200.0006	Sistec S13	1295x756x833 mm	895x444x470 mm	445 kg	0	191 litres
110.200.0007	Sistec S14	1850x756x833 mm	1450x444x470 mm	631 kg	0	310 litres
110.200.0008	Sistec S15	1850x1165x833 mm	1450x855x470 mm	922 kg	0	590 litres

External dimensions are excluding 85 mm for handle and hinges.

Product no.	Model
180.700.0014	Shelf for S11-S14
180.700.0015	Shelf for S15
180.700.0121	Drawer for S11-S14, dimensions: 50x408x465 mm (HxWxD)
180.700.0122	Drawer for S15, dimensions: 50x816x465 mm (HxWxD)
180.700.0235	Divider (width) for drawer S11-S14
180.700.0239	Divider (width) for drawer S15
180.700.0240	Divider (depth) for drawer S11-S15
180.700.0456	Lockable internal compartment for S11-S14, dimensions: 180x442x390 mm (HxWxD), colour: dark grey
180.700.0457	Lockable internal compartment for S15, dimensions: 180x852x390 mm (HxWxD), colour: dark grey
180.500.0147	Additional key for Datasafe S



SISTEC DATASAFES SE



GRADE II




S120DIS

optional locks:



- Protection from fire and/or burglars
- ECB-S certified burglar resistance in accordance with EN 1143-1 Grade II
- ECB-S certified fire resistance in accordance with EN 1047-1 S120DIS (120 minutes for data)
- Standard finish with:
EN 1300 certified key lock with 2 keys
- Equipped with emergency locking
- Can be fitted with shelves and/or drawers (exclusive)
- Door opening 180°
- Lock bolts on three sides
- Colour: light grey (RAL 7035)



Product no.	Model	External dimensions HxWxD	Internal dimensions HxWxD	Weight	Shelves	Volume
110.200.0009	Sistec SE11	732x756x833 mm	332x444x470 mm	320 kg	0	71 litres
110.200.0010	Sistec SE12	1050x756x833 mm	652x444x470 mm	460 kg	0	139 litres
110.200.0011	Sistec SE13	1295x756x833 mm	895x444x470 mm	543 kg	0	191 litres
110.200.0012	Sistec SE14	1850x756x833 mm	1450x444x470 mm	785 kg	0	310 litres
110.200.0013	Sistec SE15	1850x1165x833 mm	1450x855x470 mm	1150 kg	0	590 litres

External dimensions are excluding 85 mm for handle and hinges.

Product no.	Model
180.700.0014	Shelf for SE11-SE14
180.700.0015	Shelf for SE15
180.700.0121	Drawer for SE11-S14, dimensions: 50x408x465 mm (HxWxD)
180.700.0122	Drawer for SE15, dimensions: 50x816x465 mm (HxWxD)
180.700.0235	Divider (width) for drawer SE11-SE14
180.700.0239	Divider (width) for drawer SE15
180.700.0240	Divider (depth) for drawer SE11-SE15
180.700.0456	Lockable internal compartment for SE11-SE14, dimensions: 180x442x390 mm (HxWxD), colour: dark grey
180.700.0457	Lockable internal compartment for SE15, dimensions: 180x852x390 mm (HxWxD), colour: dark grey
180.500.0147	Additional key for Datasafe SE


TAILORED SOLUTIONS

If you can't find the right safe, get in touch with us and we will gladly tell you about the extensive range of options.



Burglar resistant server safe, with, for example:

- Mechanical ventilation
- Air conditioning
- Electricity supply





LOCKERS AND TROLLEYS

5



10-compartment laptop locker with power supply

ORGAMI LAPTOP AND TABLET LOCKER

- Protection from burglars
- Standard finish with cylinder lock with 2 keys per compartment
- Especially suited to safely store laptops and tablets
- Full metal construction
- Available with or without 220V power supply
- Ventilation holes in shelves and top and bottom of the locker
- Rear wall provided with spacers
- Burglar resistant door construction
- Internal dimensions per compartment: 87x338x385 (HxWxD in mm)
- Door opening 180°
- Anchoring by the rear side (4x)
- Colour: light grey / blue (RAL 7035 / 5012)




Product no.	Model	External dimensions HxWxD	Specifications	Weight
206.100.0100	Orgami 10-compartment laptop locker without power supply	1800x400x500 mm	10 compartments	71 kg
206.100.0101	Orgami 10-compartment laptop locker with power supply	1800x400x500 mm	10 compartments	73 kg



16-compartment laptop cart

ORGAMI LAPTOP AND TABLET TROLLEY

- Protection from burglars
- Standard finish with cylinder lock with 2 keys
- Especially suited to safely store laptops and tablets
- Full metal construction
- Each box is equipped with a 220V power supply
- Ventilation holes in walls and rear side
- Handle left and right for optimal mobility
- Door opening 180°
- Equipped with 4 wheels (2 with brake)
- Colour: light grey / blue (RAL 7035 / 5012)



Product no.	Model	External dimensions HxWxD	Specifications	Weight
206.100.0112	10-compartment laptop cart with power supply	1250x527x500 mm	10 compartments	49 kg
206.100.0113	16-compartment laptop cart with power supply	1057x919x500 mm	16 compartments	67 kg
206.100.0114	30-compartment laptop cart with power supply	1250x1311x500 mm	30 compartments	101 kg


External dimensions are including handles and hinges.



mini locker HFS 30

ORGAMI MINI LOCKERS HFS

- Protection from burglars
- Standard finish with cylinder lock with 2 keys per compartment
- Especially suited to safely store small, valuable items like a smartphone, wallet, camera, etc.
- Soft finish on the bottom of each compartment
- Each compartment is numbered.
- Internal dimensions per compartment: 145x190x190 mm (HxWxD)
- Door opening 180°
- Prepared for back anchoring
- Colour: light grey (RAL 7035)




Product no.	Model	External dimensions HxWxD	Specifications	Weight
206.100.0107	Orgami 10-compartment mini locker HFS 10	780x390x200 mm	5 x 2 comp.	31 kg
206.100.0108	Orgami 20-compartment mini locker HFS 20	780x750x200 mm	5 x 4 comp	58 kg
206.100.0109	Orgami 30-compartment mini locker HFS 30	930x930x200 mm	6 x 5 comp	94 kg
206.100.0111	Orgami 50-compartment mini locker HFS 50	1530x930x200 mm	10 x 5 comp	132 kg



SFD 63/5

ORGAMI SFD LOCKER UNIT

- Protection from burglars
- Standard finish with cylinder lock with 2 keys per compartment
- Can be mutually combined thanks to identical outer dimensions
- Fully welded steel construction with reinforced bottom
- Door construction with extra burglary resistance
- SFD 63/2: compartments including clothes rail and 3 hooks (dismountable)
- Door opening 180°
- Colour: light grey / blue (RAL 7035 / 5012)



Product no.	Model	External dimensions HxWxD	Specifications	Weight
201.100.0100	Orgami SFD 63/2 locker unit	1800x600x500 mm	4 compartments (870 mm height)	46 kg
201.100.0102	Orgami SFD 63/3 locker unit	1800x600x500 mm	6 compartments (580 mm height)	49 kg
201.100.0104	Orgami SFD 63/4 locker unit	1800x600x500 mm	8 compartments (435 mm height)	52 kg
201.100.0106	Orgami SFD 63/5 locker unit	1800x600x500 mm	10 compartments (345 mm height)	55 kg

miniK10 electronic locker lock

The miniK10 electronic lock is one of the smallest locks for lockers on the market but still offers a lot of user and management possibilities.

The lock has a robust keyboard but can also be used via (existing or new) Mifare* or Proximity* RFID badges, cards or bracelets. There are also possibilities to open the lock with your smartphone and tablet.

Specifications

- Complies with IP54 (degree of protection provided against intrusion of dust and water)
- Access via keyboard
- Access also possible via Mifare, RFID and with hopinlock control app, ask us about the options
- Available in horizontal and vertical layout
- Three access levels: User, Service and Master
- Volume of keys can be adjusted or turned off
- Blocking time of 5 minutes occurs after 3 consecutive wrong code inputs
- Battery life of 10 years (when opening lock 10 times a day)



Actual size



hopinlock®

With the hopinlock management app you can easily manage the miniK10 electronic locks with your smartphone and tablet*

Product no.	Model	Specifications
260.300.0200	miniK10 standard locker lock, kit, vertical	vertical key pad, kit, including all assembly materials
260.300.0201	miniK10 standard locker lock, kit, horizontal	horizontal key pad, kit, including all assembly materials

* Ask us about the options



FIRE RESISTANT DOCUMENT STORAGE

6



Bolzano 4




SALVUS BOLZANO



LFS60P

- Protection from fire
- ECB-S certified fire resistance in accordance with EN 15659 LFS60P (60 minutes for paper)
- Standard finish with central locking system with 2 keys
- Each drawer is separately fire-resistant
- Suitable for documents in both folio and A4
- Anti-tilt device
- Drawers can be excluded from the central locking system
- Colour: light grey (RAL 7035)



Product no.	Model	External dimensions HxWxD	Internal dimensions HxWxD	Drawers	Weight	Volume
130.300.0051	Salvus Bolzano 2	825x545x653 mm	250x390x500 mm	2	110 kg	98 litres
130.300.0053	Salvus Bolzano 4	1500x545x653 mm	250x390x500 mm	4	210 kg	195 litres


External dimensions are excluding 35 mm for the handle.



SALVUS DUO/QUATRO



- Protection from fire
- SP certified fire resistance in accordance with NT Fire 017 60P (60 minutes for paper)
- Standard finish with central lock system with 2 keys
- Each drawer is separately fire-resistant
- Standard equipped with adjustable filing frame
- Colour: light grey (RAL 9002)



Product no.	Model	External dimensions HxWxD	Internal dimensions HxWxD	Drawers	Weight	Volume
130.300.0020	Salvus Duo	729x501x756 mm	288x388x670 mm	2	108 kg	150 litres
130.300.0021	Salvus Quatro	1409x501x756 mm	288x388x670 mm	4	189 kg	300 litres

External dimensions are excluding 48 mm for the handle.



TS 2 with lockable internal compartment




SISTEC TS



optional locks:

C D E F G H I

- Protection from fire and/or burglars
- Flame retardant filling in accordance with DIN 4102 (not tested)
- Standard finish with:
EN 1300 certified key lock with 2 keys
- Shelf or shelves adjustable in height
- Door opening 180°
- Lock bolts on three sides
- Colour: light grey (RAL 7035)



Product no.	Model	External dimensions HxWxD	Internal dimensions HxWxD	Weight	Shelves	Volume
130.100.0003	Sistec TS 1	1500x700x550 mm	1390x585x460 mm	126 kg	3	374 litres
130.100.0045	Sistec TS 11	1950x700x550 mm	1780x585x460 mm	130 kg	4	478 litres
130.100.0041	Sistec TS 2	1950x950x550 mm	1780x835x460 mm	191 kg	4	684 litres
130.100.0005	Sistec TS 4	1950x1260x550 mm	1780x1145x460 mm	245 kg	4	938 litres

External dimensions are excluding 80 mm for handle and hinges.

Product no.	Model
180.700.0759	Shelf for TS 1/TS 11, also suitable for A4 suspension files
180.700.0469	Shelf for TS 2, also suitable for A4 suspension files
180.700.0470	Shelf for TS 4, also suitable for A4 suspension files
180.700.0130	Filing frame for oblique suspension files
180.700.0760	Pull out reference shelf for TS 1/TS 11
180.700.0355	Pull out reference shelf for TS 2
180.700.0356	Pull out reference shelf for TS 4
180.700.0096	Lockable internal compartment for TS 1/TS 11, height: 365 mm, colour: dark grey
180.700.0097	Lockable internal compartment for TS 2, height: 365 mm, colour: dark grey
180.700.0098	Lockable internal compartment for TS 4, height: 365 mm, colour: dark grey
180.700.0125	Special colour
180.700.0008	Pull out filing frame for TS 1/TS 11 (A4)
180.700.0086	Pull out filing frame for TS 2 (A4)
180.700.0416	Pull out filing frame for TS 4 (A4)
180.700.0134	Blocking mechanism TS 11, TS 2 and TS 4 for filing frames (upward of 3 frames)
180.500.0137	Additional key for TS




SALVUS HS2



optional locks:

C D E F G H I

- Protection from fire and/or burglars
- Flame retardant filling in accordance with DIN 4102 (not tested)
- Standard finish with:
EN 1300 certified key lock with 2 keys
- Shelf or shelves adjustable in height
- Door opening 180°
- Lock bolts on three sides
- Colour: light grey (RAL 9002) or anthracite (RAL7016)



Product no.	Model	External dimensions HxWxD	Internal dimensions HxWxD	Weight	Shelves	Volume
130.100.0006	Salvus HS2/9002	1950x950x550 mm	1780x835x460 mm	145 kg	4	684 litres
130.100.0007	Salvus HS2/7016	1950x950x550 mm	1780x835x460 mm	145 kg	4	684 litres

External dimensions are excluding 50 mm for handle and hinges.

Product no.	Model
180.700.0010	Shelf for HS2, also suitable for A4 suspension files, colour: light grey (RAL 9002)
180.700.0011	Shelf for HS2, also suitable for A4 suspension files, colour: anthracite (RAL 7016)
180.700.0097	Lockable internal compartment for HS2, height: 365 mm, colour: dark grey
180.700.0130	Filing frame for oblique suspension files
180.700.0086	Pull out filing frame for HS2 (A4), colour: dark grey
180.500.0145	Additional key for HS2

INTERIOR-OPTIONS



Shelf



Shelf (fitted with A4 suspension files)



Pull out reference shelf



Lockable internal compartment



Pull out filing frame (lateral)



Pull out filing frame (frontal)



FIRE RESISTANT BOXES

7



Master Lock

MASTER LOCK LCHW20101



- Protection from fire and water submersion
- Fire resistance in accordance with UL 30 (30 minutes for paper)
- ETL-verified fire protection for digital media (30 minutes for CD's, USB sticks up to 843°C)
- Standard finish with:
key lock with 2 keys
- Fits A4 documents
- Lid opening 180°
- Colour: anthracite/black

Product no.	Model	External dimensions HxWxD	Internal dimensions HxWxD	Volume	Weight
150.400.0028	Master Lock security chest LCHW20101	168x391x363 mm	112x325x216 mm	7,8 litres	9,3 kg



Master Lock

MASTER LOCK LCFW30100



- Protection from fire and water submersion
- Fire resistance in accordance with UL 60 (60 minutes for paper)
- ETL-verified fire protection for digital media (60 minutes for CD's, USB sticks up to 843°C)
- Standard finish with:
key lock with 2 keys
- Fits A4 documents
- Lid opening 180°
- Colour: anthracite/black

Product no.	Model	External dimensions HxWxD	Internal dimensions HxWxD	Volume	Weight
150.400.0026	Master Lock security chest LCFW30100	193x419x375 mm	136x321x232 mm	10 litres	14 kg



HOTEL SAFES

8






Novellara 3

SALVUS NOVELLARA



- Protection from burglars
- Standard finish with:
Electronic lock with emergency key (incl. batteries)
- User code is automatically cleared after opening
- Electronic lock features backlit LCD display
- Clear opening instructions for hotel guests displayed on the door
- Soft padding on the inside
- On request also available with:
Power socket
Opening sensor
- Door opening 90°
- Base anchoring and back anchoring
- Colour: anthracite



Product no.	Model	External dimensions HxWxD	Internal dimensions HxWxD	Weight	Volume
110.400.0263	Salvus Novellara 1	190x280x200 mm	134x220x135 mm	8 kg	6 litres
110.400.0262	Salvus Novellara 2	190x360x410 mm	134x290x345 mm	12 kg	19 litres
110.400.0264	Salvus Novellara 3	200x445x380 mm	142x370x315 mm	14 kg	23 litres



Scoring for training and qualification
10, 9, 8 rings = 5
ring = 4
all other hits on silhouette = 3

B-27E

Law Enforcement Targets, Inc.
1-800-779-0182 www.letargets.com

0		0
Missing		0
Totals		

Scorer's Initials

Competitor's Signature

Range Officer's Signature

Match #

Relay #

Target #

Stage #

GUN SAFES

9




Salerno with key lock



SALVUS SALERNO



- Protection from burglars
- Standard finish with:
EN 1300 certified key lock with 2 keys or
cylinder lock SKG** with 3 keys
- Lockable compartment: 140x444x220 mm (HxWxD)
- Door opening 180°
- Lock bolts on three sides
- Base anchoring (2x) and back anchoring (2x)
- Colour: light grey (RAL 7035)



Product no.	Model	External dimensions HxWxD	Internal dimensions HxWxD	Weight	Compartment	Volume
112.000.0059	Salvus Salerno - key lock	350x450x320 mm	200x444x245 mm	25 kg	1	21 litres
112.000.0063	Salvus Salerno - cylinder lock	350x450x320 mm	200x444x245 mm	25 kg	1	21 litres

External dimensions are excluding 20 mm for the hinges.



Modena 3




SALVUS MODENA



optional locks:



- Protection from burglars
- Standard finish with:
EN 1300 certified key lock with 2 keys
- Door opening 180°
- Fitted with lockable compartment
Modena 1 and 2: 220x292x210 mm (HxWxD)
Modena 3: 220x372x210 mm (HxWxD)
- Lock bolts on three sides
- Back anchoring (1x)
- Colour: anthracite (RAL7016)



Product no.	Model	External dimensions HxWxD	Internal dimensions HxWxD	Weapon holders	Weight
112.000.0038	Salvus Modena 1	1250x300x280 mm	1022x292x220 mm	5	66 kg
112.000.0039	Salvus Modena 2	1500x300x280 mm	1272x292x220 mm	5	71 kg
112.000.0040	Salvus Modena 3	1500x380x280 mm	1272x372x220 mm	6	88 kg

External dimensions are excluding 48 mm for handle and hinges.

Product no.	Model
180.500.0160	Additional key for Modena



3 x 16-locker unit with Lexan



SISTEC GUN SAFE UNIT



optional locks: on request

- Protection from burglars
- Standard finish with:
EN 1300 certified key lock with 2 keys
- Fitted with complete door or partial Lexan for optical control
- Door opening 90°
- Inter-connectable
- Options:
Pedestals
Cover plates for outer walls
Master key system
- Base anchoring and back anchoring
- Colour: light grey (RAL 7035)



Product no.	Model	External dimensions HxWxD	Internal dimensions HxWxD	Weight
180.300.0188	Sistec 16-locker unit	1652x306x314 mm	100x300x300 mm	125 kg
180.300.0046	Sistec 16-locker unit - Lexan	1652x306x314 mm	100x300x300 mm	125 kg



5 x 8-locker unit - key lock

JUWEL

JUWEL GUN SAFE UNIT



optional locks: on request

- Protection from burglars
- Standard finish with:
EN 1300 certified key lock with 2 keys or
cylinder lock SKG** with 3 keys
- Door opening 90°
- Inter-connectable
- Base anchoring and back anchoring
- Colour: light grey (RAL 7035)



Product no.	Model	External dimensions HxWxD	Internal dimensions HxWxD	Weight
112.000.0001	Juwel 4091 8-locker unit - key lock	1760x220x350 mm	194x200x330 mm	120 kg
112.000.0004	Juwel 4091 8-locker unit - cylinder lock	1760x220x350 mm	194x200x330 mm	120 kg

TAILORED SOLUTIONS

If you can't find the right safe, get in touch with us and we will gladly tell you about the extensive range of options.



Burglar resistant gun safes

- For the storage of various sorts of weapon and ammunition
- Space for accessories (sights, cleaning rods, etc.)
- Interior lighting, compartments, advanced lock options



FLOOR SAFES

10




EM-8

HAMBER EM



- Protection from burglars
- Standard finish with:
EN 1300 certified key lock with 2 keys
- To be built into floors
- High fire resistance when placed correctly
- Quickly deposit valuables and cash through 137.5 mm opening
- Soft line interior to prevent damage to your valuables
- Safe door: solid steel (22 mm) with anti-drill protection
- Colour: red (RAL 3020)



HAMBER

Product no.	Model	External dimensions HxWxD	Internal dimensions HxWxD	Weight	Tubes	Volume
111.200.0006	Hamber EM-8	303x203x203 mm	200x200x190 mm	8 kg		11 litres
111.200.0007	Hamber EM-10	362x254x254 mm	250x250x240 mm	16 kg		15 litres
111.200.0008	Hamber EM-10 deposit	362x254x254 mm	250x250x240 mm	16 kg	4	15 litres
111.200.0009	Hamber EM-12	413x305x305 mm	300x300x290 mm	22 kg		26 litres
111.200.0010	Hamber EM-12 deposit	413x305x305 mm	300x300x290 mm	22 kg	4	26 litres

Product no.	Model
180.700.1024	Hamber deposit tubes
180.500.0158	Additional key for Hamber EM

MISCELLANEOUS STORAGE DEVICES

11



MAILBOX black/aluminium

MAILBOX

MAILBOX

- Available in black, white, green and blue
- Full metal construction
- Easy retrieval of post
- Weather resistant coating
- Safety lock with 2 keys
- Includes standard fixings

Product no.	Model	External dimensions HxWxD	RAL Colour	Weight	Volume
550.200.0075	MAILBOX black/aluminium	470x340x170 mm	RAL 9005 / 9006	5 kg	27 litres
550.200.0073	MAILBOX white	470x340x170 mm	RAL 9003	5 kg	27 litres
550.200.0074	MAILBOX green	470x340x170 mm	RAL 6009	5 kg	27 litres
550.200.0072	MAILBOX blue	470x340x170 mm	RAL 5011	5 kg	27 litres



CASHBOX 1 & 4

CASHBOX

CASHBOX

- Full metal construction
- Hinged lid with recessed handle
- Safety lock with 2 keys
- Cashbox 5: fitted with extra suitcase style handle for secure transport
- Colour: blue

Product no.	Model	Specifications	External dimensions HxWxD
150.100.0008	CASHBOX 1	Blue, includes insert (8 compartments)	80x152x118 mm
150.100.0009	CASHBOX 2	Blue, includes insert (8 compartments)	90x200x160 mm
150.100.0010	CASHBOX 3	Blue, includes insert (8 compartments)	90x250x180 mm
150.100.0011	CASHBOX 4	Blue, includes insert (8 coin compartments, 4 banknote compartments)	90x300x240 mm
150.100.0012	CASHBOX 5	Blue, includes insert (8 coin compartments, 4 banknote compartments)	102x355x275 mm
150.100.0013	EUROTRAY 2	Euro-tray for Cashbox 2	
150.100.0014	EUROTRAY 3	Euro-tray for Cashbox 3	
150.100.0015	EUROTRAY 4	Euro-tray for Cashbox 4	



KEYBOX 93

KEYBOX

KEYBOX

- Full metal construction
- Solid cylinder lock with two keys
- Including key labels and fixing set



KEYBOX emergency key cabinet

Product no.	Model	External dimensions HxWxD	Specifications
150.200.0020	KEYBOX 10	110x160x70 mm	Key cabinet with 10 hooks
150.200.0021	KEYBOX 20	200x160x80 mm	Key cabinet with 20 hooks
150.200.0022	KEYBOX 45	300x240x80 mm	Key cabinet with 45 hooks
150.200.0023	KEYBOX 93	300x240x80 mm	Key cabinet with 93 hooks, 1 moveable panel
150.200.0017	KEYBOX 200	455x310x75 mm	Key cabinet with 200 hooks, 1 moveable panel
150.200.0019	KEYBOX 300	550x370x205 mm	Key cabinet with 300 hooks, 2 moveable panels
150.200.0024	KEYBOX emergency key cabinet	150x120x40 mm	Including glass and hammer



TRAVELBOX

TRAVELBOX

- Ideal for installation in car, caravan, boat, home or office
- With cylinder lock (2 keys)
- Complete with fastening set

Product no.	Model	External dimensions HxWxD	Weight
150.100.0016	TRAVELBOX	65x150x203 mm	2 kg






SAFEBOX

SAFEBOX

As long as the stock lasts

- For storing your documents and valuables
- Electronic lock (batteries and override keys included)
- Also available in hotel version (keyed-alike emergency key lock)
- Safebox 3: suitable for safe storage of tablets and 15 inch laptops
- Base anchoring (1x) (anchoring material supplied)
- Colour: anthracite



Product no.	Model	External dimensions HxWxD	Internal dimensions HxWxD	Weight	Shelves	Volume
110.400.0001	SAFEBOX 1	250x350x250 mm	247x347x194 mm	10 kg	0	21 litres
110.400.0002	SAFEBOX 2	300x380x300 mm	297x377x244 mm	14 kg	1	33 litres
110.400.0003	SAFEBOX 3	250x438x400 mm	247x435x344 mm	17 kg	1	42 litres
110.400.0203	SAFEBOX 3 keyed-alike	250x438x400 mm	247x435x344 mm	17 kg	1	42 litres

External dimensions are excluding 15 mm for the input unit.








Filex SB 3

security
filex

FILEX SB

Available in the fourth quarter of 2017

- For storing your documents and valuables
- Electronic lock (batteries and override keys included)
- Soft line interior to prevent damage to your valuables
- Filex SB L: suitable for the storage of tablets/notebooks
- Base anchoring and back anchoring (2x) (anchoring material supplied)
- Colour: anthracite



Product no.	Model	External dimensions HxWxD	Internal dimensions HxWxD	Weight	Shelves	Volume
110.400.0440	Filex SB 1	200x310x200 mm	196x306x133 mm	6,5 kg	0	8 litres
110.400.0441	Filex SB 2	250x350x250 mm	246x346x183 mm	10 kg	1	16 litres
110.400.0442	Filex SB 3	310x430x350 mm	306x426x283 mm	15 kg	1	37 litres
110.400.0443	Filex SB 4	607x390x410 mm	603x386x343 mm	24 kg	1	80 litres
110.400.0444	Filex SB L	190x430x365 mm	186x426x298 mm	11 kg	0	24 litres

External dimensions are excluding 10 mm for the input unit.






Juwel 7031

JUWEL 70-SERIES



- Protection from burglars
- Fitted with EN 1300 certified key lock with 2 keys
- Door opening 90°
- Back anchoring (2x)
- Colour: anthracite



JUWEL

Product no.	Model	External dimensions HxWxD	Internal dimensions HxWxD	Weight	Shelves	Volume
110.500.0001	Juwel 7011	111x221x131 mm	103x213x81 mm	5,8 kg	0	1,7 litres
110.500.0002	Juwel 7021	161x221x131 mm	153x213x81 mm	6,3 kg	0	2,7 litres
110.500.0003	Juwel 7031	221x221x131 mm	213x213x81 mm	7,8 kg	1	3,7 litres

Product no.	Model	Retail price (excl. VAT)
180.500.0158	Additional key for 70-serie	€ 26,00





Juwel 7931

JUWEL 79-SERIES



- Protection from burglars
- Fitted with EN 1300 certified electronic lock (batteries included)
- Door opening 90°
- Back anchoring (2x)
- Colour: anthracite



JUWEL

Product no.	Model	External dimensions HxWxD	Internal dimensions HxWxD	Weight	Shelves	Volume
111.100.0025	Juwel 7921	161x221x131 mm	153x213x81 mm	6 kg	0	2,6 litres
111.100.0026	Juwel 7931	221x221x131 mm	213x213x81 mm	8 kg	1	3,7 litres



Juwel 7226

JUWEL 72-SERIES



- Protection from burglars
- Fitted with EN 1300 certified key lock with 2 keys
- Door opening 90°
- Base anchoring (2x) and back anchoring (2x)
- Colour: light grey

JUWEL



Product no.	Model	External dimensions HxWxD	Internal dimensions HxWxD	Weight	Shelves	Volume
110.400.0020	Juwel 7203	175x265x200 mm	167x257x150 mm	10 kg	0	6,2 litres
110.400.0021	Juwel 7213	195x315x200 mm	187x307x150 mm	13 kg	0	8,4 litres
110.400.0022	Juwel 7226	235x365x350 mm	227x357x300 mm	22 kg	1	21,4 litres
110.400.0023	Juwel 7236	295x365x350 mm	287x357x300 mm	26 kg	1	30,7 litres
110.400.0024	Juwel 7266	315x465x350 mm	307x457x300 mm	33 kg	1	42,2 litres
110.400.0025	Juwel 7276	515x365x350 mm	507x357x300 mm	41 kg	1	54,6 litres

Product no.	Model
180.500.0158	Additional key for 72-series




Juwel 7623

JUWEL 76-SERIES



- Protection from burglars
- Fitted with EN 1300 certified electronic lock (batteries included)
- Door opening 90°
- Base anchoring (2x) and back anchoring (2x)
- Colour: light grey

JUWEL



Product no.	Model	External dimensions HxWxD	Internal dimensions HxWxD	Weight	Shelves	Volume
110.400.0031	Juwel 7613	195x315x200 mm	187x307x150 mm	13 kg	0	8,2 litres
110.400.0032	Juwel 7623	235x365x200 mm	227x357x150 mm	17 kg	1	11,6 litres
110.400.0040	Juwel 7626	235x365x350 mm	227x357x300 mm	22 kg	1	30,7 litres

LOCKS

A burglar resistant safe is only as good as the lock, which is why the choice of that lock deserves your careful consideration. A lock for a safe has to be tested in accordance with the EN 1300 standard in order to comply with European standards for safes like EN 14450 and EN 1143-1. Many safes are supplied with a key lock as standard.

More and more people are opting for an electronic lock, however. Electronic locks are more expensive but offer more options than a key lock. They all have anti-tampering blocking and you can also opt for several access codes and the facility to read who has been using the lock and when. An opening delay can also be set to stop a robber or the electronic lock can be connected to the alarm system.

You have to think about the right kind of lock as well. We have provided a short summary of the options below to help you. You can also contact us for no-obligation advice, of course.

	 Basic	 Multicode	 Emergency key	 Gator
User code	1	9	30	50
Manager code	1	1	2	2
Master code				1
Opening delay	1-99 min.	1-99 min.	1-99 min.	1-99 min.
Manipulation block	✓	✓	✓	✓
Emergency key			✓	
Battery compartment integrated	✓	✓	✓	✓
Dual verification				✓
Auditable		optional	optional	1000 events
Internet connectable				optional
Alarm code (silent alarm)		optional		optional
EN 1300 class B	✓	✓	✓	✓
VdS class 2	✓	✓	✓	✓
Instead of standard lock	C 180.500.0531	E 180.500.0533	G 180.500.0486	H 180.500.0535
In addition to standard lock	D 180.500.0532	F 180.500.0534		I 180.500.0536

If you can't find the right lock, get in touch with us and we will gladly tell you about the extensive range of options.

SHIPPING AND DELIVERY

Our objective is to provide our clients with the best service and that is why we care for our products. This is, among other things, expressed in our logistical process, which we are happy to organise for you from start to finish.

Before your order leaves our warehouse, it will receive a last control check. That way we guarantee a correct delivery. Next to our standard delivery, you can also opt for several extra delivery options like placing, anchoring, and a discrete packaging of the safe.

Please ask us about the possibilities.



SERVICE & (ONLINE) SUPPORT

Do you need any services on location? Are you not satisfied, or do you have another technical question? Our staff are available 7 days a week and do their utmost to solve your problems.

In case you have a question or a failure has occurred, we advise you to first check our websites nautasecurity.com and nauta.com. If your question has been asked before, you may find the answer in our on-line section of 'Frequently Asked Questions'. On our website you can also find the most recent user manuals and certificates of all our products.

Online support

Were you not able to solve the problem after visiting our website? In that case you can quickly and easily fill out the on-line failure form and request a service call from one of our employees. If a malfunctioning is reported before 17:00, we will contact you or your client on the same business day. You can also contact us for emergencies.

We have access to a European service network, which allows us to perform your repairs quickly and professionally. All our service activities are performed by expert employees, allowing us to switch quickly. Next to installing or (de)mounting a safe, our specialists can also transform a safe according to your needs. It is, for example, possible to provide a new or already bought safe with a replacing or extra lock or an entirely different interior. You can also come to us for preventive maintenance, that way you can guarantee the optimal functioning of your safe.

INDEX BRAND/SERIES

BRAND/SERIES	PAGE
CASHBOX	82
CODEBOX	49
DEPOSITBOX	32
EURO 100.3	34
FILEXSB	84
HAMBER EM	80
JUWEL 68-SERIES	37
JUWEL 70-SERIES	85
JUWEL 72-SERIES	86
JUWEL 76-SERIES	86
JUWEL 79-SERIES	85
JUWEL ELEGANCE	14
JUWEL ELEGANCE DEPOSIT	38
JUWEL GUN SAFE UNIT	77
JUWEL KEYSAFES	50
KEYBOX	83
KEYCONDUCTOR / KEYCOP KEY MANAGEMENT	54
MAILBOX	82
MASTER LOCK 54XXD	48
MASTER LOCK LCFW30100	70
MASTER LOCK LCHW20101	70
MINIK10 CAM LOCK	62
ORGAMI LAPTOP- & TABLETLOCKER	60
ORGAMI LAPTOP- & TABLET TROLLEY	60
ORGAMI MINI LOCKERS HFS	61
ORGAMI SFD LOCKERUNIT	62
PUCK KEYSAFE	48
SAFEBOX	84
SALVUS 77-SERIES	33
SALVUS AREZZO	13
SALVUS AREZZO GRADE I	13
SALVUS BERGAMO	26
SALVUS BOLOGNA	18
SALVUS BOLZANO	64
SALVUS DUO/QUATRO	65
SALVUS FLORENCE	39
SALVUS HS2	67
SALVUS HS66	36
SALVUS MASSA	28
SALVUS MILANO	22

BRAND/SERIES	PAGE
SALVUS MOBILE KEY SAFE	49
SALVUS MODENA	75
SALVUS MODULAR CASH DRAWER SAFE	42
SALVUS MONOPOLI	35
SALVUS MONZA	9
SALVUS MONZA KEY SAFE	51
SALVUS NOVELLARA	72
SALVUS PALERMO	11
SALVUS RAVENNA	17
SALVUS ROME	24
SALVUS SALERNO	74
SALVUS SIENA	39
SALVUS KEY SAFE GRADE 0	53
SALVUS TIVOLI	41
SALVUS TORINO	8
SISTEC DATASAFE S	56
SISTEC DATASAFES SE	57
SISTEC EM	16
SISTEC EM3-D	40
SISTEC EUROGUARD SE-0	15
SISTEC EUROGUARD SE-I	19
SISTEC EUROGUARD SE-II	23
SISTEC EUROGUARD SE-III	25
SISTEC EUROGUARD SE-IV	27
SISTEC EUROGUARD SE-V	29
SISTEC MT+	10
SISTEC GUN SAFE UNIT	76
SISTEC S1	43
SISTEC SDS	21
SISTEC SK KEY SAFES	52
SISTEC SPS	20
SISTEC TS	66
SISTEC TSF	12
TRAVELBOX	83
TAILORED SOLUTIONS	PAGE
FINISHING / INTERIOR	30
RETAIL- EN ASSETMANAGEMENT	44 to 46
SERVERSAFES	58
GUN SAFES	78

ABOUT US

Security is a broad field demanding specialised expertise, but we feel ourselves at home if it has to do with security products like burglar and fire resistant safes or fittings and locks. The name Nauta has been a guarantee of quality, expertise and reliability for the past 50 years, and we're proud of it.

We offer a clear and complete overview of our range in this catalogue. We can provide the best value solution to every security issue with burglar resistant, fire resistant, deposit or key safes.



Nauta (Barneveld, Netherlands)



Orgami Sistec (Freudenberg, Germany)

Our range includes our own brands Salvus and Sistec but also brands like Juwel. You and your clients benefit from the degree to which we invest in the quality of these brands. The safes are manufactured in the most modern factories in Europe and certified where necessary by ECB-S in Germany, the leading certification body for burglar and fire resistant safes.

If you have looked at the catalogue but none of the standard products meet your needs, we want to hear what they are.

We have a great many satisfied customers for whom our product developers have been able to provide effective tailored solutions. You can find examples of these on the 'specials' pages.

Whether it's a standard product out of this catalogue of almost 100 pages or a tailored solution, we want to help you as well as possible. Our staff are ready to advise you carefully and provide the right sales support.

Where necessary, we can guide you along the sales process or perhaps even provide you with extra support in the area of marketing. After delivery of the safe, you can still count on our service, of course. In the unlikely event that there is a problem with your safe, you can always contact us for support. If a problem is reported before 5 pm on a work day, our technical staff will contact you or your client the same day.

As well as our partnerships with diverse national and international organisations, we think it's also important to work closely with you as a dealer. We can only increase awareness with regard to security and guarantee the quality of our products together.

Your clients are going to ask more often for comprehensive information and advice. The market is in a constant state of change and there is more and more innovation. We therefore want to share our expertise with you and support you where necessary. Visit our annual training, for example, or visit us in the Netherlands.

You will be very welcome in Barneveld, or get in touch with us:



Nauta Security Storage BV

Tel. +31 (0)342-455055
Fax +31 (0)342-420422
E-mail info@nautasecurity.com
Website nautasecurity.com



Nauta BV

Tel. +31 (0)342-455050
Fax +31 (0)342-492657
E-mail info@nauta.com
Website nauta.com

For more information about our company, products and our general terms and conditions, see our websites.

This publication was last updated in July 2017. Please consult our website for the most up-to-date specifications and prices.





Nauta Security Storage BV
 Tel. +31 (0)342-455055
 Fax +31 (0)342-420422
 ⓘ info@nautasecurity.com
nautasecurity.com



Nauta BV
 Tel. +31 (0)342-455050
 Fax +31 (0)342-492657
 ⓘ info@nauta.com
nauta.com

nautasecurity.com
nauta.com

Hanzeweg 10
 3771 NG Barneveld
 The Netherlands

